# Locks
# 鎖具

# A-818 | PUSHBUTTON LOCK | 防水按鈕型轉動把手

RL IP65



A-818-1




A-818-2



A-818-3




A-818-4





開孔尺寸(1)
Cut out

開孔尺寸(2)
Cut out

使用方法






鋅合金基座、手柄、鍍鋅鋼栓
Zine die handle and housing black powder, Coated or bright chrome,
M.S. Zinc plated cam and shaft.


| 電著塗裝(黑)<br>Black E-Coated | 手柄亮鉻基座黑<br>Bright Chrome | 電鍍亮鉻<br>Bright Chrome | 香檳色<br>Champagne-plated |
|---|---|---|---|
| A-818-1 | A-818-2 | A-818-3 | A-818-4 |



# A-818-5 | PUSHBUTTON LOCK | 按鈕型轉動把手

RL






方型Square type

開孔尺寸
Panel Cutout


黑色鋅合金手柄，鍍鋅鋼栓，鍍鉻鋅合金鎖頭，鋁合金基座
Zine die; M.S. zinc plated cam.

| | | |
|---|---|---|
| 方型 Square type | 黑色塗裝 Black powder coated | A-818-5 |

可選配件 Accessories ref. to page #

1.鎖舌見頁面 I-004
Cam ref. to page I-004

RL




開孔尺寸
Cut out







| 商品編號 Product No. | A | B | C | D | E | F | G | H |
|---|---|---|---|---|---|---|---|---|
| A-712 | 149 | 39 | 140 | 30 | 23.5 | 29 | 30 | 141 |
| A-711 | 132 | 34 | 124 | 28 | 17 | 26 | 27 | 125 |
| A-713 | 110 | 34 | 101.7 | 28 | 17 | 25.7 | 26.7 | 102.8 |
| A-713-2A | 92 | 33.5 | 84 | 28 | 17 | 26.5 | 27.5 | 85 |

鋅合金基座、手柄、按鈕、鎖芯；鍍鋅鋼栓、壓板
Zine die casting handle 、housing 、button and cylinder ： M.S. zinc plating cam and fixing parts.


| | 亞光銀 Silver | 亮鉻 Bright Chrome | 黑色塗裝 Black Powder Coated |
|---|---|---|---|
| 大型 Large Size | A-712-A | A-712-C | A-712-B |
| 中型 Standard | A-711-A | A-711-C | A-711-B |
| 小型 Medium | A-713-A | A-713-C | A-713-B |
| 迷你型 Small Size | | A-713-2A | |

可選配件 Accessories ref. to page #

1.鎖舌見頁面 I-004
Cam ref. to page I-004

2.另可訂製掛鎖型 Customize Padlock







黑色PA塑料鎖體，鋅合金手柄、轉軸，鍍鋅鋼安裝緊固件
PA black plastic, zinc die handle black powder coated, zinc die shaft and m.s. zinc plated fixing parts.

| | 鋅合金手柄,塑料座 Zinc die handle, PA housing |
|---|---|
| 大型 Large size GH=18 | A-1201-01-0118 |







黑色PA塑料鎖體或者鋅合金鎖體，鋅合金手柄、轉軸，鍍鋅鋼安裝緊固件
PA black plastic or zinc die housing, zinc die handle black powder coated, zinc die shaft and m.s. zinc plated fixing parts.

| | | 鋅合金手柄,塑料座 Zinc die handle, PA housing | 全鋅合金 Zinc Die |
|---|---|---|---|
| 不帶掛鎖 without padlock | 大型 Large size | A-1201-01-0120 | A-1201-01-0220 |
| 帶掛鎖 padlockable | 大型 Large size | A-1201-01-0120P | A-1201-01-0220P |

可選配件 Accessories ref. to page #

1. 鎖舌 見頁面 I-001
   CAM ref. to page I-001

備註: Remark
1. 專用鑰匙可選 Key different on request.
2. CH751鑰匙可選,CH751 key code on request
3. 可配掛鎖 Padlockable on request





開孔尺寸
Panel Cutout



黑色PA塑料鎖體或者鋅合金鎖體，鋅合金手柄、轉軸，鍍鋅鋼安裝緊固件
PA black plastic or zinc die housing, zinc die handle black powder coated, zinc die shaft and m.s. zinc plated fixing parts.

| | 鋅合金手柄,塑料座<br>Zinc die handle,PA housing | 全鋅合金<br>Full Zinc die |
|---|---|---|
| 小型 Small size | A-1201-02-0120 | A-1201-02-0220 |




開孔尺寸
Panel Cutout



黑色PA塑料鎖體或者鋅合金鎖體，鋅合金手柄、轉軸，鍍鋅鋼安裝緊固件
PA black plastic or zinc die housing, zinc die handle black powder coated, zinc die shaft and m.s. zinc plated fixing parts.

| | 塑料手柄,座 PA handle and housing |
|---|---|
| 密碼型 Code mode | A-1201-01-0320 |


可選配件 Accessories ref. to page #

1. 鎖舌 見頁面 I-001
   CAM ref. to page I-001

備注: Remark
1. 專用鑰匙可選 Key different on request.
2. CH751 鑰匙可選,
   CH751 key code on request

RL IP65 STAINLESS SERIES







不鏽鋼鎖體、鋼栓、螺母
stainless steel 304 body and nut.

| 不鏽鋼 304 SUS 304 | AS-1205-304 |
|---|---|

RL IP65



NEW





鋅合金鎖體噴塑黑、不鏽鋼掛鎖座、安裝板
Zinc die, black powder coated, SUS padlock, mounting bracket

| 噴塑黑 Black Powder Coated | |
|---|---|
| 不帶掛 Without padlock | 帶掛 Padlockable |
| A-1209-101-10 | A-1209-101-10-P |

可選配件 Accessories ref. to page #

1. 鎖舌 選配開孔 10x10 ;
   Optional cam cutout : 10x10


備註: Remark
1. 鎖頭可換






鋅合金基座、手柄、按鈕、鎖芯；鍍鋅鋼栓
Zine die casting handle 、housing 、button and cylinder ； M.S. zinc plating cam.


| 鋅合金 Zinc die | A-730 |
|---|---|






鋅合金基座、手柄、按鈕、鎖芯；鍍鋅鋼栓
Zine die casting handle 、housing 、button and cylinder ； M.S. zinc plating cam.

| 鋅合金 Zinc die | A-732 |
|---|---|






鋅合金基座、手柄、按鈕、鎖芯；鍍鋅鋼栓
Zine die casting handle 、housing 、button and cylinder ； M.S. zinc plating cam.

| Order No. | A | B |
|---|---|---|
| A-843-1 | 89 | 63 |
| A-843-2 | 107 | 80 |
| A-843-3 | 123 | 96 |


unit: m/m


# A-1207 | SWINGHANDLE LOCK | 平面型轉動把手


RL IP65








開孔尺寸
Panel Cutout

鋅合金鎖體，表面處理可做黑色塗裝及電鍍
Zinc die body, Black powder coated or black E-coated.

| 鎖芯 Cylinder Style | | 麻面黑 Black Textured Powder Coated | 亮鉻 Bright Chrome |
|---|---|---|---|
| CH751 鎖芯 CH751 cylinder | 帶掛 Padlockable | A-1207-101-20-P | A-1207-101-30-P |
| | 不帶掛 Without Padlock | A-1207-101-20-NP | A-1207-101-30-NP |
| 三角鎖芯 8 Triangle insert 8 | 帶掛 Padlockable | A-1207-103-20-P | A-1207-103-30-P |
| | 不帶掛 Without Padlock | A-1207-103-20-NP | A-1207-103-30-NP |

可選配件 Accessories ref. to page #


1. 鎖舌 見頁面 I-001
   CAM ref. to page I-001


# A-1208 | SWINGHANDLE LOCK (PIN Code) | 平面型密碼轉動把手


NEW

RL IP65







開 孔 尺 寸
Panel Cutout

可選配件 Accessories ref. to page #

1. 鎖舌 見頁面 I-004
   CAM ref. to page I-004

黑色PA塑料鎖體、鋅合金手柄、轉軸、鍍鋅鋼安裝緊固件
Black PA body, zinc die handle, shaft and m.s. zinc plated fixing parts.

| 噴塑黑 Black Powder Coated | 麻面黑 Black Textured Powder Coated |
|---|---|
| 帶鎖芯 Key locking | A-1208-101-20 |




開孔尺寸
Panel Cutout





鋅合金鎖體黑色塗裝，鋅合金拉桿裝置，鍍鋅鋼轉軸和拉桿，不鏽鋼掛鎖座
Zinc die body black powder coated, zinc die rod control, m.s. zinc plated shaft and flat rods, SUS304 padlockable device.


| 鎖芯 Cylinder Style | Version A(鎖舌型 Cam control) 防水蓋Dust Cap 有防塵蓋 with | 無防塵蓋 without |
|---|---|---|
| 半圓柱YK333相同鑰匙 Alike YK333 Profile Round Cylinder | A-1100-1P01-C | A-1100-1P01-NC |
| 雙翅 4mm (Double Bit 4mm) | A-1100-1P02-C | A-1100-1P02-NC |
| 四方鎖芯 7mm (Square 7mm) | A-1100-1P03-C | A-1100-1P03-NC |
| 三角鎖芯 8mm (Triangular 8mm) | A-1100-1P04-C | A-1100-1P04-NC |


可選配件 Accessories ref. to page #

1. 鎖舌 見頁面 I-001
   CAM ref. to page I-001

備註: Remark
1. 專用鑰匙可選 Key different on request.
2. CH751鑰匙可選,CH751 key code on request
3. 可配掛鎖 Padlockable on request









鋅合金鎖體黑色塗裝，鋅合金拉桿裝置，鍍鋅鋼轉軸和拉桿，不鏽鋼掛鎖座
Zinc die body black powder coated, zinc die rod control, m.s. zinc plated shaft and flat rods, SUS304 padlockable device.

| 鎖芯 Cylinder Style | Version B(兩點拉桿型 2P.rod control) | | Version C(三點拉桿型 3P.rod control) | |
|---|---|---|---|---|
| | 防水蓋 Dust Cap | | 防水蓋 Dust Cap | |
| | 有防塵蓋 with | 無防塵蓋 without | 有防塵蓋 with | 無防塵蓋 without |
| 半圓柱YK333相同鑰匙 Alike YK333 Profile Round Cylinder | A-1100-2P01-C | A-1100-2P01-NC | A-1100-3P01-C | A-1100-3P01-NC |
| 雙翅 4mm (Double Bit 4mm) | A-1100-2P02-C | A-1100-2P02-NC | A-1100-3P02-C | A-1100-3P02-NC |
| 四方鎖芯 7mm (Square 7mm) | A-1100-2P03-C | A-1100-2P03-NC | A-1100-3P03-C | A-1100-3P03-NC |
| 三角鎖芯 8mm (Triangular 8mm) | A-1100-2P04-C | A-1100-2P04-NC | A-1100-3P04-C | A-1100-3P04-NC |

## 可選配件 Accessories ref. to page #


1. 鎖舌見頁面 I-001 CAM ref. to page I-001
2. 鎖芯選配
3. 拉桿裝置A-1193系列 Rod Control A-1193 series

備註: Remark
1. 專用鑰匙可選 Key different on request.
2. CH751鑰匙可選,CH751 key code on request
3. 可配掛鎖 Padlockable on request






圓柱 YK333 相同鑰匙
Alike YK333 Round Cylinder

開孔尺寸
Panel Cutout




掛鎖裝置
Padlock device





黑色PA塑料鎖體，鍍鋅鋼轉軸，安裝緊固件
PA lock body, M.S zinc plated shaft and fixing parts.


| 鎖芯 Cylinder Style | Version A(鎖舌型 Cam control) | |
|---|---|---|
| | 防水蓋Dust Cap | |
| | 有防塵蓋 with | 無防塵蓋 without |
| 圓柱YK333相同鑰匙 Alike YK333 Round Cylinder | A-1101-1001-C | A-1101-1001-NC |

可選配件 Accessories ref. to page #

1. 鎖舌 見頁面 I-001
   CAM ref. to page I-001

備註: Remark
1. 專用鑰匙可選 Key different on request.
2. CH751鑰匙可選,CH751 key code on request
3. 可配掛鎖 Padlockable on request







## 可選配件 Accessories ref. to page #

1. 鎖舌見頁面 I-001 CAM ref. to page I-001
2. 鎖芯選配
3. 拉桿裝置A-1190系列 Rod control A-1190 series

備註: Remark
1. 專用鑰匙可選 Key different on request.
2. CH751鑰匙可選,CH751 key code on request
3. 可配掛鎖 Padlockable on request

黑色PA塑料鎖體,鋅合金拉桿裝置,鍍鋅鋼轉軸和拉桿
PA lock body, zinc die rod control, M.S. zinc plated shaft and flat rods.

| 鎖芯 Cylinder Style | Version B(兩點拉桿型 2P.rod control) | | Version C(三點拉桿型 3P.rod control) | |
|---|---|---|---|---|
| | 防水蓋 Dust Cap | | 防水蓋 Dust Cap | |
| | 有防塵蓋 with | 無防塵蓋 without | 有防塵蓋 with | 無防塵蓋 without |
| 圓柱YK333相同鑰匙 Alike YK333 Round Cylinder | A-1101-2001-C | A-1101-2001-NC | A-1101-3001-C | A-1101-3001-NC |






黑色PA塑料鎖體，鍍鋅鋼轉軸，安裝緊固件
PA lock body, M.S zinc plated shaft and fixing parts.

| 鎖芯 Cylinder Style | Version A(鎖舌型 Cam control) 防水蓋Dust Cap | |
|---|---|---|
| | 有防塵蓋 with | 無防塵蓋 without |
| 半圓柱YK333相同鑰匙 Alike YK333 Round Cylinder | A-1101-1P01-C | A-1101-1P01-NC |
| 雙翅 4mm (Double Bit 4mm) | A-1101-1P02-C | A-1101-1P02-NC |
| 四方鎖芯 7mm (Square 7mm) | A-1101-1P03-C | A-1101-1P03-NC |
| 三角鎖芯 8mm (Triangular 8mm) | A-1101-1P04-C | A-1101-1P04-NC |


可選配件 Accessories ref. to page #

1. 鎖舌 見頁面 I-001
   CAM ref. to page I-001

備註: Remark
1. 專用鑰匙可選 Key different on request.
2. CH751鑰匙可選,CH751 key code on request
3. 可配掛鎖 Padlockable on request









黑色PA塑料鎖體，鋅合金拉桿裝置，鍍鋅鋼轉軸和拉桿
PA lock body, zinc die rod control, M.S. zinc plated shaft and flat rods.

| 鎖芯 Cylinder Style | Version B(兩點拉桿型 2P.rod control) | | Version C(三點拉桿型 3P.rod control) | |
|---|---|---|---|---|
| | 防水蓋 Dust Cap | | 防水蓋 Dust Cap | |
| | 有防塵蓋 with | 無防塵蓋 without | 有防塵蓋 with | 無防塵蓋 without |
| 半圓柱YK333相同鑰匙 Alike YK333 Round Cylinder | A-1101-2P01-C | A-1101-2P01-NC | A-1101-3P01-C | A-1101-3P01-NC |
| 雙翅 4mm (Double Bit 4mm) | A-1101-2P02-C | A-1101-2P02-NC | A-1101-3P02-C | A-1101-3P02-NC |
| 四方鎖芯 7mm (Square 7mm) | A-1101-2P03-C | A-1101-2P03-NC | A-1101-3P03-C | A-1101-3P03-NC |
| 三角鎖芯 8mm (Triangular 8mm) | A-1101-2P04-C | A-1101-2P04-NC | A-1101-3P04-C | A-1101-3P04-NC |


## 可選配件 Accessories ref. to page #

1. 鎖舌見頁面 I-001 CAM ref. to page I-001
2. 鎖芯選配
3. 拉桿裝置A-1190系列 Rod control A-1190 series

備註: Remark
1. 專用鑰匙可選 Key different on request.
2. CH751鑰匙可選,CH751 key code on request
3. 可配掛鎖 Padlockable on request




圓柱 YK333 相同鑰匙
Alike YK333 Round Cylinder




開孔尺寸
Panel Cutout



黑色PA塑料鎖體,銅轉軸鍍鋅鋼安裝緊固件
PA lock body, Brass handle shaft, M.S zinc plated fixing parts

| 鎖芯 Cylinder style | Version A(鎖舌型 Cam control)<br>防水蓋 Dust Cap |
|---|---|
| 圓柱YK333相同鑰匙<br>Alike YK333 Round Cylinder | A-1102-1001-C |


可選配件 Accessories ref. to page #

1. 鎖舌見頁面 I-001 CAM ref. to page I-001

備注: Remark
1. 專用鑰匙可選 Key different on request.
2. CH751 鑰匙可選,CH751 key code on request
3. 可配掛鎖 Padlockable on request

RL IP65






方鉚釘
Square Studs


## 可選配件 Accessories ref. to page #

1. 鎖舌 見頁面 I-001 CAM ref. to page I-001
2. 拉桿裝置A-1193系列 Rod control A-1193 series

備注: Remark
1. 專用鑰匙可選 Key different on request.
2. CH751 鑰匙可選,CH751 key code on request
3. 可配掛鎖 Padlockable on request

黑色PA塑料鎖體，鋅合金拉桿裝置，鍍鋅鋼轉軸和拉桿
PA lock body, zinc die rod control, M.S. zinc plated shaft and flat rods.

| 鎖芯 Cylinder style | Version B(兩點拉桿型 2P.rod control) 防水蓋 Dust Cap | Version C(三點拉桿型 3P.rod control) 防水蓋 Dust Cap |
|---|---|---|
| 圓柱YK333相同鑰匙 Alike YK333 Round Cylinder | A-1102-2001-C | A-1102-3001-C |




開孔尺寸
Panel Cutout



黑色PA塑料鎖體,噴塑鋅合金手柄、轉軸
Black PA body, zinc die handle black powder coated.

| | Version A(鎖舌型 Cam control) |
|---|---|
| 鋅合金手柄,塑料基座,<br>Zinc die handle,PA lock housing | A-1102-1002-NC |


可選配件 Accessories ref. to page #

1. 鎖舌見頁面 I-001 CAM ref. to page I-001
2. 鎖芯選配

備注: Remark
1. 專用鑰匙可選 Key different on request.
2. 可配掛鎖 Padlockable on request

RL IP65






開孔尺寸
Panel Cutout


黑色PA塑料鎖體,噴塑鋅合金手柄、轉軸
Black PA body, zinc die black handle powder coated, zinc die shaft and rod control, m.s. zinc plated flat rods

| | Version B (兩點拉桿型 2P.rod control) | Version C (三點拉桿型 3P.rod control) |
|---|---|---|
| 全塑料 Full PA | A-1102-2001-NC | A-1102-3001-NC |
| 鋅合金手柄,塑料基座, Zinc die handle,PA lock housing | A-1102-2002-NC | A-1102-3002-NC |

## 可選配件 Accessories ref. to page #

1. 鎖舌 見頁面 I-001 CAM ref. to page I-001
2. 拉桿裝置A-1193系列 Rod control A-1193 series

備注: Remark
1. 專用鑰匙可選 Key different on request.
2. CH751 鑰匙可選,CH751 key code on request
3. 可配掛鎖 Padlockable on request




開孔尺寸
Panel Cutout



黑色PA塑料鎖體,噴塑鋅合金手柄、轉軸
Black PA body, zinc die handle black powder coated


| 鎖芯 Cylinder style | Version A(鎖舌型 Cam control) |
|---|---|
| 半圓柱YK333相同鑰匙<br>Alike YK333 Profile Round Cylinder | A-1102-1P01-NC |
| 雙翅 4mm Double Bit 4mm | A-1102-1P02-NC |
| 四方鎖芯 7mm Square 7mm | A-1102-1P03-NC |
| 三角鎖芯 8mm Triangular 8mm | A-1102-1P04-NC |

可選配件 Accessories ref. to page #

1. 鎖舌見頁面 I-001 CAM ref. to page I-001

備注: Remark
1. 專用鑰匙可選 Key different on request.
2. CH751鑰匙可選,CH751 key code on request
3. 可配掛鎖 Padlockable on request






開孔尺寸
Panel Cutout


黑色PA塑料鎖體,噴塑鋅合金手柄、轉軸
Black PA body, zinc die black handle powder coated,
zinc die shaft and rod control, m.s. zinc plated flat rods

| 鎖芯 Cylinder Style | Version B (兩點拉桿型 2P.rod control) | Version C (三點拉桿型 3P.rod control) |
|---|---|---|
| 半圓柱YK333相同鑰匙 Alike YK333 Profile Round Cylinder | A-1102-2P01-NC | A-1102-3P01-NC |
| 雙翅 4mm Double Bit 4mm | A-1102-2P02-NC | A-1102-3P02-NC |
| 四方鎖芯 7mm Square 7mm | A-1102-2P03-NC | A-1102-3P03-NC |
| 三角鎖芯 8mm Triangular 8mm | A-1102-2P04-NC | A-1102-3P04-NC |


## 可選配件 Accessories ref. to page #

1. 鎖舌 見頁面 I-001 CAM ref. to page I-001
2. 拉桿裝置A-1193系列 Rod control A-1193 series

備注: Remark
1. 專用鑰匙可選 Key different on request.
2. CH751 鑰匙可選,CH751 key code on request
3. 可配掛鎖 Padlockable on request








鋅合金鎖體,表面處理可做黑色塗裝及電鍍
Zinc die body, Black powder coated or black E-coated.

| 鎖芯 Cylinder Style | | Version A(鎖舌型 Cam control) | |
|---|---|---|---|
| | | 電著黑 Black E-Coated | 黑色塗裝 Black Powder Coated |
| YK333 鎖芯 YK333 cylinder | 帶掛 Padlockable | A-839-1001-50-P | A-839-1001-10-P |
| | 不帶掛 Without Padlock | A-839-1001-50-NP | A-839-1001-10-NP |
| 三角鎖芯 Triangle insert | 帶掛 Padlockable | A-839-1003-50-P | A-839-1003-10-P |
| | 不帶掛 Without Padlock | A-839-1003-50-NP | A-839-1003-10-NP |

可選配件 Accessories ref. to page #


1. 鎖舌 見頁面 I-001 CAM ref. to page I-001

備注: Remark
1. 專用鑰匙可選 Key different on request.
2. CH751 鑰匙可選,CH751 key code on request
3. 可配掛鎖 Padlockable on request

RL IP65









方鉚釘
Square studs

開孔尺寸
Panel Cutout

Ø 6.0 孔型
Ø 6.0 Hole



鎖背可換成帶YK333鎖芯
YK333 round cylinder available

圓鉚釘
Round Studs

鋅合金鎖體,鋅合金拉桿裝置,鍍鋅鋼拉桿, 鎖體表面可做黑色塗裝與電鍍
Zinc die body and rod control,M.S. zinc plated cam,Black powder coated or E-coated surface


| 鎖芯 Cylinder Style | | Version B(兩點拉桿型 2P.rod control) | | Version C(三點拉桿型 3P.rod control) | |
|---|---|---|---|---|---|
| | | 電著黑 Black E-Coated | 黑色塗裝 Black Powder Coated | 電著黑 Black E-Coated | 黑色塗裝 Black Powder Coated |
| YK333 鎖芯 YK333 cylinder | 帶掛 Padlockable | A-839-2001-50-P | A-839-2001-10-P | A-839-3001-50-P | A-839-3001-10-P |
| | 不帶掛 without padlock | A-839-2001-50-NP | A-839-2001-10-NP | A-839-3001-50-NP | A-839-3001-10-NP |
| 三角鎖芯 Triangle insert | 帶掛 Padlockable | A-839-2003-50-P | A-839-2003-10-P | A-839-3003-50-P | A-839-3003-10-P |
| | 不帶掛 without padlock | A-839-2003-50-NP | A-839-2003-10-NP | A-839-3003-50-NP | A-839-3003-10-NP |

## 可選配件 Accessories ref. to page #

1. 鎖舌 見頁面 I-001 CAM ref. to page I-001
2. 拉桿裝置A-1191系列 Rod control A-1191 series

備注: Remark
1. 專用鑰匙可選 Key different on request.
2. CH751 鑰匙可選,CH751 key code on request
3. 可配掛鎖 Padlockable on request


RL






鋅合金手柄、基座、按鈕，鍍鋅鋼栓、傳動條，表面處理可做黑色塗裝、電鍍
Zinc die handle housing and button;M.S zinc plating cam and control rods,Powder coated or chrome plating.

| 亞光銀 Silver | A-838-1 |
|---|---|







| 黑色塗裝 Powder Coated | A-838-2 |
|---|---|



A-828-1




A-828-2




開孔尺寸
Panel Cutout


鋅合金鎖體,表面處理可做黑色塗裝及電鍍
Zinc die body, Black powder coated or satin chrome plated

| Version A 鎖舌型 Cam Control | | Version B 兩點拉桿型 2P rod Control | | Version C 三點拉桿型 3P rod Control | |
|---|---|---|---|---|---|
| 亞光銀 Silver | 黑色塗裝 Black | 亞光銀 Silver | 黑色塗裝 Black | 亞光銀 Silver | 黑色塗裝 Black |
| A-828-1-1001 | A-828-2-1001 | A-828-1-2001 | A-828-2-2001 | A-828-1 | A-828-2 |




開孔尺寸
Panel Cutout






開孔尺寸
Panel Cutout



鋅合金手柄、基座、按鈕；鍍鋅鋼栓、傳動條, 表面處理可做黑色塗裝及電鍍
**Zinc die handle housing and button : M.S. zinc plating cam and control rods. Powder coated or chrome plating**

| | Version A(鎖舌型 Cam control) |
|---|---|
| | 麻面黑 Black textured powder coated |
| 帶掛 Padlockable | A-831-1001-20-P |
| 不帶掛 Without Padlock | A-831-1001-20-NP |

可選配件 Accessories ref. to page #


1. 鎖舌 見頁面 I-001 CAM ref. to page I-001
2. 鎖芯選配


備注: Remark
1. 專用鑰匙可選 Key different on request.
2. CH751 鑰匙可選,CH751 key code on request


RL IP65








開孔尺寸
Panel Cutout


可選配件 Accessories ref. to page #

1. 鎖舌見頁面 I-001 CAM ref. to page I-001
2. 鎖芯選配

備注: Remark
1. 專用鑰匙可選 Key different on request.
2. CH751 鑰匙可選,CH751 key code on request
3. 可配掛鎖 Padlockable on request

鋅合金手柄、基座、按鈕；鍍鋅鋼栓、傳動條, 表面處理可做黑色塗裝及電鍍
Zinc die handle housing and button ； M.S. zinc plating cam and control rods. Powder coated or chrome plating

| | Version C (三點拉桿型 3P.rod contiol) |
|---|---|
| | 麻面黑 Black textured powder coated |
| 帶掛 Padlockable | A-831-3001-20-P |
| 不帶掛 Without Padlock | A-831 |






黑色PA塑料鎖體,噴塑鋅合金手柄、轉軸,.
Black PA body, zinc die handle powder coated, zinc die shaft and rod control, m.s. zinc plated flat rods

| Version B（2點拉桿型 2P.rod control） | Version C(三點拉桿型 3P.rod control) |
|---|---|
| A-1113-2001-01 | A-1113-3001-01 |


可選配件 Accessories ref. to page #

1. 鎖舌 見頁面 I-001 CAM ref. to page I-001
2. 拉桿裝置 A-1193 系列 Rod control A-1193 series

備注: Remark
1. 專用鑰匙可選 Key different on request.
2. CH751 鑰匙可選,CH751 key code on request
3. 可配掛鎖 Padlockable on request

RL IP65







鋅合金，不鏽鋼安裝板、推板、擋板和銷子，表面可做黑色塗裝或者黃灰色（RAL7032）
Zinc die,SUS mounting bracket,push plate,baffle plate and pin,black powder coated or yellowish grey powder coated(RAL7032

| 麻面黑 Black Textured Powder Coated | 黃灰色 RAL7032 Powder Coated |
|---|---|
| A-1122-2001-20 | A-1122-2001-32 |

RL IP65




NEW




鋅合金，鋅合金拉桿裝置，鍍鋅鋼拉桿，鎖體表面可做噴塑與電著黑
Zinc die body and rod control, zinc plated cam,black powder coated or E-coated

| | Version B (兩點拉桿型 2P.rod control) | Version C (三點拉桿型 3P.rod control) |
|---|---|---|
| 帶掛 Padlock | A-1129-2001-10-P | A-1129-3001-10-P |
| 不帶掛 Without padlock | A-1129-2001-10 | A-1129-3001-10 |

NEW




開孔尺寸
Panel cutout

鋅合金鎖體，表面處理可做黑色塗裝及電鍍
Zinc die body,black powder coated or plating

| Version A(鎖舌型 Cam control) | |
|---|---|
| | 黑色塗裝 Black Powder Coated |
| 不帶掛 Without padlock | A-1117-1001-10 |
| 帶掛 Padlockable | A-1117-1001-10-P |

RL IP65




可選配件 Accessories ref. to page #

1.鎖舌 見頁面I-001CAM ref. to page I-001

備註: Remark
1.可配掛鎖 Padlockable on request



NEW




開孔尺寸
Panel cutout

鋅合金鎖體，表面處理可做黑色塗裝及電鍍
Zinc die body,black powder coated or plating

| | Version B (兩點拉桿型 2P.rod control) | Version C (三點拉桿型 3P.rod Control) |
|---|---|---|
| | 黑色塗裝 Black Powder Coated | 黑色塗裝 Black Powder Coated |
| 不帶掛 Without padlock | A-1117-2001-10 | A-1117-3001-10 |
| 帶掛 Padlockable | A-1117-2001-10-P | A-1117-3001-10P |

RL IP65



可選配件 Accessories ref. to page #


1.鎖舌 見頁面I-001CAM ref. to page I-001

備註: Remark
1.可配掛鎖 Padlockable on request

RL IP65









鋅合金鎖體,鋅合金拉桿裝置,鍍鋅鋼拉桿, 鎖體表面可做黑色塗裝與電著黑
Zinc die body and rod control,M.S. zinc plated cam,Black powder coated or E-coated surface

| Version C<br>(三點拉桿型 3P.rod control) | 鐵鎖舌<br>M.S.plated Cam | 鋅合金鎖舌<br>Zinc Cam |
|---|---|---|
| 黑色烤漆 **Black powder coated** | A-1110-3001-10 | A-1110-3001-10-S |
| 烤漆 RAL7032 **Powder coated** RAL7032 | A-1110-3001-32 | A-1110-3001-32-S |


# 連桿式旋轉把手 | SWINGHANDLE | A-1127


NEW

鎖舌型
cam control





拉桿型
Rod control










RL IP65





黑色PA塑料鎖體，鋅合金鎖芯亮光鉻鎖芯，鍍鋅鋼鎖舌
Black PA lock body,zinc die insert with bright chrome plated, m.s.zinc plated cam

| 鎖芯類型 Insert type | 鎖舌型 Version A:Cam control | 兩點拉桿型 Version B:2P.rod control | 三點拉桿型 Version C:3P.rod control |
|---|---|---|---|
| 雙翅 3mm Double Bit 3mm | A-1127-1013-S190 | A-1127-2013-S190 | A-1127-3013-S190 |
| 2x直槽型 2x4 Slot | A-1127-1024-S190 | A-1127-2024-S190 | A-1127-3024-S190 |
| 三角8mm Triangular 8mm | A-1127-1038-S190 | A-1127-2038-S190 | A-1127-3038-S190 |
| 四方8mm Square 8mm | A-1127-1048-S190 | A-1127-2048-S190 | A-1127-3048-S190 |


可選配件 Accessories ref. to page #

備註：Remark
1.鎖舌 見頁面I-001
CAM ref. to page I-001
2.拉桿裝置A-1192系列
Rod control A-1192 series


# 連桿式旋轉把手 | ROD CONTROL SWINGHANDLE | A-1127


NEW


鎖舌型
cam control




拉桿型
Rod control




RL IP65



黑色PA塑料鎖體，鋅合金鎖芯亮光鉻鎖芯，鍍鋅鋼鎖舌
Black PA lock body,zinc die insert with bright chrome plated, m.s.zinc plated cam

| 鎖芯類型 Insert type | 鎖舌型 Version A:Cam control | 兩點拉桿型 Version B:2P.rod control | 三點拉桿型 Version C:3P.rod control |
|---|---|---|---|
| 雙翅 3mm Double Bit 3mm | A-1127-1013-L190 | A-1127-2013-L190 | A-1127-3013-L190 |
| 2x直槽型 2x4 Slot | A-1127-1024-L190 | A-1127-2024-L190 | A-1127-3024-L190 |
| 三角8mm Triangular 8mm | A-1127-1038-L190 | A-1127-2038-L190 | A-1127-3038-L190 |
| 四方8mm Square 8mm | A-1127-1048-L190 | A-1127-2048-L190 | A-1127-3048-L190 |


可選配件 Accessories ref. to page #

備註: Remark
1.鎖舌 見頁面I-001
CAM ref. to page I-001
2.拉桿裝置A-1193系列
Padlockable on request


RL IP65


NEW







開孔尺寸
Panel Cutout




默認鎖頭
Default profile cylinder




默認鎖頭
Default key

可選配件 Accessories ref. to page #

備註: Remark
1.鎖舌 見頁面I-001
CAM ref. to page I-001


1.可配掛鎖 Padlockable on request
2.鎖頭可換 Interchangeable profile cylinder

鋅合金鎖體噴黑色漆，不鏽鋼閂體、傳動條、掛鎖座
Zinc die lock body, black finish ,stainless steel rod control,padlock device


| 兩點拉桿型 Version B:2P.rod control | 三點拉桿型 Version C:3P.rod control |
|---|---|
| 不帶掛 Without padlock | 帶掛 Padlockable |
| A-1124-2P01-55 | A-1124-3P01-55-P |


NEW

RL IP65




開孔尺寸
Panel cutout





塑料鎖體
Black PA 30% GF

| 安裝方式 Mounting style | |
|---|---|
| 螺絲安裝 Mounting by cap | A-1116-1001-C |
| 卡式安裝 Mounting by hook | A-1116-1011-C |

可選配件 Accessories ref. to page #


備註: Remark
1.鎖舌 見頁面I-001
CAM ref. to page I-001

1.專用鑰匙可選 Key different on request.
2.CH751鑰匙可選 CH751 key code on request

RL IP65

NEW







316不鏽鋼旋轉手柄，帶40mm異型半圓柱鎖芯，303不鏽鋼手柄軸和掛附件

Swinghandle SUS 316 for 40mm profile half cylinder, shaft and padlock device SUS 303; cap polyamide black, with seal

| 鎖芯 Cylinder style | Version A(鎖舌型Cam control) 防塵蓋Dust Cap | |
|---|---|---|
| | 有防塵蓋 With | 無防塵蓋 Without |
| HS8異形鎖芯 HS8 Profile Cylinder | AS-1120-1P01-C | AS-1120-1P01-NC |
| 圓柱 YK333 相同鑰匙 Alike YK333 Round Cyliner | AS-1120-1P02-C | AS-1120-1P02-NC |
| 雙翅 4mm (Double Bit 4mm) | AS-1120-1P03-C | AS-1120-1P03-NC |
| 四方鎖芯 7mm (Square 7mm) | AS-1120-1P04-C | AS-1120-1P04-NC |

NEW

RL IP65







不鏽鋼鎖體和拉桿
Stainless steel lock body and rods

| 鎖芯 Cylinder style | 兩點拉桿型 Version B:2P.rod cont 防塵蓋Dust Cap | | 三點拉桿型 Version B:3P.rod cont 防塵蓋Dust Cap | |
|---|---|---|---|---|
| | 有防塵蓋 With | 無防塵蓋 Without | 有防塵蓋 With | 無防塵蓋 Without |
| HS8異形鎖芯 HS8 Profile Cylinder | AS-1120-2P01-C | AS-1120-2P01-NC | AS-1120-3P01-C | AS-1120-3P01-NC |
| 圓柱 YK333 相同鑰匙 Alike YK333 Round Cyliner | AS-1120-2P02-C | AS-1120-2P02-NC | AS-1120-3P02-C | AS-1120-3P02-NC |
| 雙翅 4mm (Double Bit 4mm) | AS-1120-2P03-C | AS-1120-2P03-NC | AS-1120-3P03-C | AS-1120-3P03-NC |
| 四方鎖芯 7mm (Square 7mm) | AS-1120-2P04-C | AS-1120-2P04-NC | AS-1120-3P04-C | AS-1120-3P04-NC |

RL


NEW






NEW






黑色PA基座，鋅合金手柄，鍍鋅鋼傳動條
Black PA housing; Zinc die handle black powder coated; M.S. zinc plated control flat rods.

| Version A（鎖舌型 Cam control） | Version C(三點拉桿型 3P.rod control) |
|---|---|
| 麻面黑 Black textured powder coated | 麻面黑 Black textured powder coated |
| A-1108-1001-20 | A-1108-3001-20 |


可選配件 Accessories ref. to page #


1. 鎖舌 見頁面 I-001 CAM ref. to page I-001


備注: Remark
1. 專用鑰匙可選 Key different on request.
2. CH751 鑰匙可選,CH751 key code on request

# MEMO

RL










鋅合金本體, 鍍鋅鋼拉桿
Zinc die body, zinc plated. M.S. zinc plated flat rods

| 鉚釘款式 Rivet Style | 適用於孔型A For cutout: Version A | 適用於孔型B For cutout: Version B |
|---|---|---|
| 帶圓鉚釘 Round Studs | A-1190-01 | A-1191-01 |
| 帶方鉚釘 Square Studs | A-1190-02 | A-1191-02 |
| 帶6.0孔 6.0 Hole | A-1190-03 | A-1191-03 |

RL


1192





⌀6.0 孔型
⌀6.0 Hole

圓鉚釘
Round Stud

方鉚釘
Square Stud



1194





適用於開孔型 C
For cutout:Version C



鋅合金本體, 鍍鋅鋼拉桿
Zinc die body, zinc plated. M.S. zinc plated flat rods


| 鉚釘款式<br>Rivet Style | 適用於孔型C<br>For cutout: Version C | 適用於孔型C<br>For cutout: Version C |
|---|---|---|
| 帶圓鉚釘 Round Studs | A-1192-01 | A-1194-01 |
| 帶方鉚釘 Square Studs | A-1192-02 | A-1194-02 |
| 帶6.0孔 6.0 Hole | A-1192-03 | A-1194-03 |


RL

















鋅合金本體, 鍍鋅鋼拉桿
Zinc die body, zinc plated. M.S. zinc plated flat rods

| 鉚釘款式<br>Rivet Style | 適用於孔型A<br>For cutout: Version A |
|---|---|
| A型 帶圓鉚釘 Round Studs | A-1193-01 |
| B型 帶方鉚釘 Square Studs | A-1193-02 |
| C型 帶圓鉚釘鉤 | A-1193-03 |
| D型 帶彎鉤型 | A-1193-04 |





無鎖芯 Non-locking





帶鎖芯 Key locking




開孔尺寸
Panel cutout




十字槽鎖芯
Tooling-Secured

鋅合金基座、手柄；鍍鋅鋼栓
Zinc die handle and housing black powder coated or bright chrome; M.S. zinc plated cam and shaft

| 止口高度Grip-Range | | | | |
|---|---|---|---|---|
| 正Pawl Forward | 反Pawl Reversed | 鎖芯類型 Cylinder Style | 黑色塗裝 Black powder coated | 亮鉻 Bright Chrome |
| MIN~MAX | MIN~MAX | | | |
| 21~27 | 49~55 | 無鎖芯 Non-locking | A-726-1-TX005 | A-726-2-TX005 |
| 29~36 | 40~46 | | A-726-1-TX007 | A-726-2-TX007 |
| 29~36 | 40~46 | | A-726-1-TX008 | A-726-2-TX008 |
| 21~27 | 49~55 | 帶鎖芯 Key locking | A-726-10-TX005 | A-726-2-10-TX005 |
| 29~36 | 40~46 | | A-726-10-TX007 | A-726-2-10-TX007 |
| 29~36 | 40~46 | | A-726-10-TX008 | A-726-2-10-TX008 |
| 21~27 | 49~55 | 十字槽 Tooling-Secured | A-726-11-TX005 | A-726-2-11-TX005 |
| 29~36 | 40~46 | | A-726-11-TX007 | A-726-2-11-TX007 |
| 29~36 | 40~46 | | A-726-11-TX008 | A-726-2-11-TX008 |
| 21~27 | 49~55 | 內六角4.5 Hexagon Female | A-726-12-TX005 | A-726-2-12-TX005 |
| 29~36 | 40~46 | | A-726-12-TX007 | A-726-2-12-TX007 |
| 29~36 | 40~46 | | A-726-12-TX008 | A-726-2-12-TX008 |



A-726-1



A-726-10



A-726-11



A-726-12

可選配件 Accessories ref. to page #

1. 鎖舌 見頁面 I-005~I-006 CAM
ref. to pageI-005~I-006



A-731-1




A-731-2





A-731-3

大型 Large size





帶鎖芯 Key locking




不帶鎖芯 Non-locking




開孔尺寸
Panel cutout


鋅合金基座、手柄；鍍鋅鋼栓
Zinc die handle and housing black powder coated or bright chrome; M.S. zinc plated cam and shaft

| 止口高度Grip-Range | | | | | |
|---|---|---|---|---|---|
| 正Pawl Forward | 反Pawl Reversed | 鎖芯類型 Cylinder Style | 黑色塗裝 Black powder coated | 手柄亮基座黑 Bright Chrome | 亮鎔 Bright Chrome |
| MIN~MAX | MIN~MAX | | | | |
| 21~27 | 49~55 | 無鎖芯 Non-locking | A-731-1-TX005 | A-731-2-TX005 | A-731-3-TX005 |
| 29~36 | 40~46 | | A-731-1-TX007 | A-731-2-TX007 | A-731-3-TX007 |
| 29~36 | 40~46 | | A-731-1-TX008 | A-731-2-TX008 | A-731-3-TX008 |

可選配件 Accessories ref. to page #

1. 鎖舌見頁面 I-005~I-006
   CAM ref. to page I-005~I-006

小型 Small size






A-733-1



A-733-2

鋅合金基座、手柄；鍍鋅鋼栓
Zinc die handle and housing black powder coated or bright chrome; M.S. zinc plated cam and shaft

| 止口高度Grip-Range | | | | |
|---|---|---|---|---|
| 正Pawl Forward MIN~MAX | 反Pawl Reversed MIN~MAX | 鎖芯類型 Cylinder Style | 黑色塗裝 Black powder coated | 亮鉻 Bright Chrome |
| 12.5-16 | 32.5-36 | 無鎖芯 Non-locking | A-733-1-TX0105 | A-733-2-TX0105 |
| 22-26 | 22-26 | | A-733-1-TX0106 | A-733-2-TX0106 |

可選配件 Accessories ref. to page #

1. 鎖舌 見頁面 I-007
   CAM ref. to page I-007




A-727-1




A-727-3




A-727-4




開孔尺寸
Panle Cutout




鋅合金基座、手柄；鍍鋅鋼栓
Zinc die handle and housing black powder coated or bright chrome;
M.S. zinc plated cam and shaft

| 止口高度Grip-Range | | 帶A-727鎖芯 Key Locking | | |
|---|---|---|---|---|
| 正Pawl Forward | 反Pawl Reversed | 黑色塗裝 Black Powder Coated | 亮鉻 Bright Chrome | 沙鉻 Satin Chrome |
| 18-26 | 46-56 | A-727-1-TX005 | A-727-3-TX005 | A-727-4-TX005 |
| 26-37 | 37.5-46 | A-727-1-TX007 | A-727-3-TX007 | A-727-4-TX007 |
| 26-36 | 37-44.5 | A-727-1-TX008 | A-727-3-TX008 | A-727-4-TX008 |


可選配件 Accessories ref. to page #

1. 鎖舌 見頁面 I-005~I-006
   CAM ref. to page I-005~I-006





開孔尺寸
Panel Cutout






開孔尺寸
Panel Cutout






開孔尺寸
Panel Cutout




黑色鋅合金基座、手柄、按鈕；鍍鋅鋼安裝件
Zinc die handle 、housing and trigger black powder coated or bright chrome;
M.S. zinc plated screw and fixing parts

| 止口高度Grip-Range | 1-24 | | 23-46 | |
|---|---|---|---|---|
| | 短杠桿 Short Arm | | 長杠桿 Longer Arm | |
| 按鈕款式 Trigger Style | 黑色塗裝 Black Powder Coated | 亮鉻 Bright Chrome | 黑色塗裝 Black Powder Coated | 亮鉻 Bright Chrome |
| 無鑰匙升高型 Non-locking raised trigger | A-1242-124-10 | A-1242-124-30 | A-1242-146-10 | A-1242-146-30 |
| 無鑰匙齊平型 Non-locking Flush trigger | A-1242-224-10 | A-1242-224-30 | A-1242-246-10 | A-1242-246-30 |
| 帶鎖芯(CH751) Key locking | A-1242-324-10 | A-1242-324-30 | A-1242-346-10 | A-1242-346-30 |
| 十字槽Tooling-Secured | A-1242-524-10 | A-1242-524-30 | A-1242-546-10 | A-1242-546-30 |
| 帶防蓋鎖芯 (CH751) key locking,with shutter | A-1242-624-10 | A-1242-624-30 | A-1242-646-10 | A-1242-646-30 |
| 內六角鎖芯4.5 Hexagon female 4.5mm | A-1242-724-10 | A-1242-724-30 | A-1242-746-10 | A-1242-746-30 |
| 內四方 Female square 8.5mm | A-1242-824-10 | A-1242-824-30 | A-1242-846-10 | A-1242-846-30 |



A-732-2A






A-732-2C




鋅合金基座、手柄;鍍鋅鋼栓
Zinc die handle and housing black powder coated or bright chrome, M.S.Zinc plated cam and shaft.

| | |
|---|---|
| 帶鎖芯 Key Locking 銀 Silver | A-732-2C |
| 無鎖芯 Non-Locking 銀 Silver | A-732-2A |
| 無鎖芯 Non-Locking 黑 Black | A-732-2B |




A-718





黑色鋅合金基座、手柄、按鈕;鍍鋅鋼安裝件
Zinc die handle 、housing and trigger black powder coated or bright chrome;
M.S. zinc plated screw and fixing parts

| | |
|---|---|
| 帶鎖芯 Key Locking | A-718-1 |




無鎖芯型
Non-Locking






鎖芯型
Key Locking















開孔尺寸
Panel cutout


黑色鋅合金基座、手柄、按鈕；鍍鋅鋼安裝件
Zinc die handle 、housing and trigger; M.S. zinc plated fixing parts

| 固定安裝塊 Mounting bracket | 門板厚度 Panel thickness | | 間距 Grip Range | | E | 不帶鑰匙鎖 Non-locking | 帶CH751鑰匙鎖 帶防塵蓋型 CH751 key locking, with shutter | 帶CH751鑰匙鎖 CH751 key locking | 十字槽 Tooling-secured |
|---|---|---|---|---|---|---|---|---|---|
| | 最小 MIN | 最大 MAX | 最小 MIN | 最大 MAX | | | | | |
| A | 1 | 11 | 1 | 14 | 29 | A-1245-114-201 | A-1245-214-201 | A-1245-314-201 | A-1245-414-201 |
| B | 11 | 21 | | | | A-1245-114-202 | A-1245-214-202 | A-1245-314-202 | A-1245-414-202 |
| A | 1 | 11 | 14 | 29 | 44 | A-1245-129-201 | A-1245-229-201 | A-1245-329-201 | A-1245-429-201 |
| B | 11 | 21 | | | | A-1245-129-202 | A-1245-229-202 | A-1245-329-202 | A-1245-429-202 |
| C | 21 | 31 | | | | A-1245-129-203 | A-1245-229-203 | A-1245-329-203 | A-1245-429-203 |
| A | 1 | 11 | 29 | 45 | 60 | A-1245-145-201 | A-1245-245-201 | A-1245-345-201 | A-1245-445-201 |
| B | 11 | 21 | | | | A-1245-145-202 | A-1245-245-202 | A-1245-345-202 | A-1245-445-202 |
| C | 21 | 31 | | | | A-1245-145-203 | A-1245-245-203 | A-1245-345-203 | A-1245-445-203 |
| D | 31 | 41 | | | | A-1245-145-204 | A-1245-245-204 | A-1245-345-204 | A-1245-445-204 |
| A | 1 | 11 | 45 | 57 | 72 | A-1245-157-201 | A-1245-257-201 | A-1245-357-201 | A-1245-457-201 |
| B | 11 | 21 | | | | A-1245-157-202 | A-1245-257-202 | A-1245-357-202 | A-1245-457-202 |
| C | 21 | 31 | | | | A-1245-157-203 | A-1245-257-203 | A-1245-357-203 | A-1245-457-203 |
| D | 31 | 41 | | | | A-1245-157-204 | A-1245-257-204 | A-1245-357-204 | A-1245-457-204 |
















黑色鋅合金基座、手柄、按鈕；鍍鋅鋼安裝件
Zinc die handle 、housing and trigger ； M.S. zinc plated fixing parts

| | | | | 黑色塗裝 Black powder coated | | 沙鎗Satin Chrome | |
|---|---|---|---|---|---|---|---|
| 門板厚度 Panel Thickness | 間距 Grip Range | H | B | 不帶鎖芯型 Non-locking | CH751 locking with shutter | 不帶鎖芯型 Non-locking | CH751 locking with shutter |
| 1 to 11mm | 1-25mm | 36.50 | 13.50 | A-1246-100-10 | A-1246-110-10 | A-1246-100-40 | A-1246-110-40 |
| 1 to 11mm | 15-30mm | 40.00 | 28.50 | A-1246-200-10 | A-1246-210-10 | A-1246-200-40 | A-1246-210-40 |







黑色 Black ABS | **A-725**






黑色 Black PA | **A-725-2**








黑色 Black ABS | **A-725-3**






帶鎖芯型 Key locking




黑色PA+GF
Black PA+GF


開孔尺寸
Panel Cutout

| 帶鎖芯型 Key Locking | A-1252-10 |
|---|---|







NEW





壓縮量：6.0
Pull-up:6.0



Installation diagram





黑色PA鎖殼，鎖舌，鎖芯
black PA housing,cam,insert


開孔尺寸
Panel Cutout


| 黑色 Black PA | A-1254-20 |
|---|---|




NEW








1.鎖的前部向前滑動穿過孔洞，向前按壓鎖







2.將鎖的後端卡緊入位

| 黑色 Black ABS | A-1255-10-13-90 |
|---|---|

大型Large size











小型Small size










鋅合金,黑色塗裝或電鍍
Zinc die, black powder coated or chrome plated

| | | 帶鎖芯 Key Locking | 不帶鎖芯 Non-Locking |
|---|---|---|---|
| 黑色塗裝 Black Powder Coated | 大型Large size | DKS-2 | DKS-00-2 |
| | 小型Small size | DKS-4 | DKS-00-4 |
| 沙鎗 Satin Chrome | 大型Large size | DKS-1 | DKS-00-1 |
| | 小型Small size | DKS-3 | DKS-00-3 |



AS-320




AS-330





A-3202





A-3303



















全不鏽鋼或尼龍玻纖黑色或鋅合金
Stainless steel 316 Nylon glass fiber,black,zinc die.

| 門板厚度 Panel thickness | | 固定支架高度 Mounting braketheight | 固定螺絲高度 Fixingscrew length | 帶鎖芯型 Key Locking version | | | 不帶鎖芯型 Non-Locking version | | |
|---|---|---|---|---|---|---|---|---|---|
| 最小 MIN | 最大 MAX | | | | | | | | |
| | | | | 全不鏽鋼 Stainless Steel | 塑料黑色 Acetal Black | 鋅合金 Zinc Die | 全不鏽鋼 Stainless Steel | 塑料黑色 Acetal Black | 鋅合金 Zinc Die |
| 2 | 7 | 14 | 16 | AS-330 | A-3303 | A-330 | AS-320 | A-3202 | A-320 |




鎖芯型
Key Locking




開孔尺寸
Panel cutout



A-6150-1




A-6150-2




AS-6150-2


鋅合金,黑色塗裝或電鍍亮鉻,材質可做全不鏽鋼316
Zinc die,black powder coated or bright chrome, sus 316 material upon reguest.

| | 黑色塗裝 Black powder coated | 亮鉻 Bright Chrome | 全不鏽鋼 Stainless steel |
|---|---|---|---|
| 帶鎖芯 CH751 Locking | A-6150-1 | A-6150-1-30 | AS-6150-1 |
| 不帶鎖芯 Non-locking | A-6150-2 | A-6150-2-30 | AS-6150-2 |









開孔尺寸
Panel cutout

全不鏽鋼316
All stainless steel 316

| 六角鎖芯 Hexagon Insert | AS-1272-10-316 |
|---|---|







可選配件 Accessories ref. to page #

1. 鎖舌 見頁面 I-001
   CAM ref. to page I-001

備註: Remark
1. 專用鑰匙可選 Key different on request.
2. CH751鑰匙可選,CH751 key code on request

鋅合金基座、手柄;鍍鋅鋼栓
Zinc die housing and handle ; M.S. zinc plated cam.

| | 麻面黑 Black Textured Powder Coated | 亮鉻 Bright Chrome | 全不鏽鋼 SUS316 Stainless steel |
|---|---|---|---|
| 帶鎖芯 Key Locking | A-1301-10-20 | A-1301-10-30 | AS-1301-10-316 |
| 無鎖芯 Non Locking | A-1301-00-20 | A-1301-00-30 | AS-1301-00-316 |






可選配件 Accessories ref. to page #

1. 鎖舌 見頁面 I-001
   CAM ref. to page I-001


備註: Remark
1. 專用鑰匙可選 Key different on request.
2. CH751鑰匙可選,
   CH751 key code on request

鋅合金基座、手柄;鍍鋅鋼栓
Zinc die housing and handle ; M.S. zinc plated cam.

| 麻面黑 Black Textured Powder Coated | | 亮鉻 Bright Chrome |
|---|---|---|
| 不帶鎖芯 Non-locking | A-1310-00-20 | A-1310-00-30 |
| 2x4 直槽防硬幣型 2x4 Slot coin proof insert | A-1310-124-20 | A-1310-124-30 |


RL IP65 STAINLESS SERIES






帶鎖芯 Key locking






無鎖芯 Non-locking

開孔尺寸
Panel cutout


## 可選配件 Accessories ref. to page #

1. 鎖舌 見頁面 I-001
   CAM ref. to page I-001

備註: Remark
1. 專用鑰匙可選 Key different on request.
2. CH751鑰匙可選,CH751 key code on request

鋅合金基座、手柄;鍍鋅鋼栓
Zinc die cast handle and housing black powder coated or bright chrome; M.S zinc plated cam.

| | 麻面黑 Black Textured Powder Coated | 亮鉻 Bright Chrome | 全不鏽鋼 Stainless steel 316 |
|---|---|---|---|
| 帶鎖芯 Key Locking | A-3240-1 | A-3240-1-30 | |
| 無鎖芯 Non Locking | A-3240-2 | A-3240-2-30 | AS-3240-00-316 |




| Item No. | A | B | C | D | E | F | G | H | I | J | K | L |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| AS-300 | 120 | 45 | 14.8 | 2 | 48 | 32 | 7 | 32.5 | 8 | 7.5 | 23 | 32.5 |
| AS-400 | 134 | 45 | 14.8 | 2.5 | 54.5 | 32 | 8 | 40 | 10 | 9 | 23 | 40 |
| AS-500 | 150 | 47.5 | 21 | 8 | 60 | 34.5 | 8 | 40 | 10 | 9 | 23 | 40 |

全不鏽鋼 316
All stainless steel 316

| | 鏡面拋光 Bright polishing |
|---|---|
| 小型 Small size | AS-300 |
| 中型 Medium size | AS-400 |
| 大型 Large size | AS-500 |



AS-300



AS-400




AS-500

可選配件 Accessories ref. to page #

1. 鎖舌 見頁面 I-009~I-010
   CAM ref. to page I-009~I-010




連桿部份單獨訂購
Rod system need to order separately.





鋅合金基座、手柄；表面黑色塗裝,鍍鋅鋼栓。
Zinc die housing and handle , black powder coated ; M.S. zinc plated cam.

| 黑色塗裝 Black Powder Coated | A-1321-10 |
|---|---|




NEW




鋅合金基座、手柄；表面塗裝或電著,鍍鋅鋼栓。
Zinc die housing and handle , black powder coated or E-coated;m.s zinc plated cam.


| 可帶掛鎖式拉手鎖 Padlockabble Lever Handle Lock | | |
|---|---|---|
| 黑色塗裝 | Black Powder Coated | A-1322-10 |
| 藍灰色塗裝 | RAL7012 Powder Coated | A-1322-24 |






不鏽鋼L型手柄，不鏽鋼螺母和螺絲，帶密封圈
L-handle SUS 316, screw and nut stainless steel with seal

| SUS316 | AS-1325-00-316 |
|---|---|








AH-1178C



AH-1178B





AH-1178BL



鋅合金，電鍍亮鉻
Zinc die, bright chrome plated

| ITEM NO. | 電鍍亮鉻 Bright chrome |
|---|---|
| AH-1178 | AH-1178A + AH-1178B + AH-1178C |
| AH-1178L | AH-1178A + AH-1178BL + AH-1178C |











鋅合金，電鍍亮鉻
Zinc die, bright chrome plated

| 鍍鉻 Bright chrome | AH-1300 |
|---|---|










鋅合金，電鍍亮鉻
Zinc die, Bright chrome plated

| 鍍鉻 Bright chrome | AH-711 |
|---|---|









鋅合金，電鍍亮鉻
Zinc die, Bright chrome plated

| 鍍鉻 Bright chrome | AH-1200 |
|---|---|







AS-1172



AS-1172-1-K

不鏽鋼 316，鏡面拋光
SUS 316, Bright polish finish

| 不鏽鋼316 Stainless Steel 316 | AS-1172 |
|---|---|






AS-800-1



AS-800-2

不鏽鋼 316，鏡面拋光
SUS 316, Bright polish finish


| ITEM No. | A | B | C | D | E | H |
|---|---|---|---|---|---|---|
| AS-800-1 | 40.5 | 151 | 140.8 | 30 | 141.5 | 29.6 |
| AS-800-2 | 39.5 | 135.6 | 126.3 | 30.5 | 128 | 30.5 |

單位: m/m unit:m/m

RL STAINLESS SERIES









不鏽鋼 316，鏡面拋光
SUS 316, Bright polish finish

| ITEM NO. | 鏡面拋光 Bright polish finish |
|---|---|
| 帶鎖芯 Key Locking | AS-2119-1 |
| 無鎖芯 Non Locking | AS-2119-2 |









不鏽鋼 316，鏡面拋光
SUS 316, Bright polish finish


| ITEM NO. | 鏡面拋光 Bright polish finish |
|---|---|
| 帶鎖芯 Key Locking | AS-2140-1 |
| 無鎖芯 Non Locking | AS-2140-2 |






不鏽鋼 316，鏡面拋光
SUS 316, Bright polish finish

| ITEM No. | 重量(g) | L1 | L2 | W1 | W2 | H1 | H2 | P1 | P2 | M |
|---|---|---|---|---|---|---|---|---|---|---|
| AS-2110-3 | 205 | 100 | 56 | 24 | 12 | 30 | 18 | 50 | 40 | M5 |
| AS-2110-5 | 105 | 70 | 45 | 18 | 8 | 23 | 14 | 35 | 30 | M4 |







不鏽鋼 316，鏡面拋光
SUS 316, Bright polish finish

| ITEM No. | 重量(g) | L1 | L2 | L3 | L4 | L5 | W1 | W2 | P1 | P2 | P3 | P4 | H1 | H2 | H3 | H4 | M |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| AS-2114-1 L左 R右 | 450 | 170 | 127 | 45 | 40 | 28 | 90 | 52 | 34 | 70 | 40 | 43 | 49 | 17 | 5 | 19 | M4 |
| AS-2114-2 L左 R右 | 290 | 140 | 109 | 40 | 35 | 24 | 80 | 50 | 25 | 52 | 34 | 34 | 43 | 14 | 5 | 18 | M4 |
| AS-2114-3 L左 R右 | 210 | 125 | 98 | 32 | 32 | 23 | 65 | 50 | 22 | 43 | 35 | 30 | 37 | 14 | 5 | 17 | M4 |
| AS-2114-4 L左 R右 | 160 | 111 | 84 | 30 | 30 | 20 | 60 | 45 | 20 | 40 | 32 | 28 | 34.5 | 13 | 5 | 14.5 | M4 |
| AS-2114-5 L左 R右 | 130 | 90 | 68 | 30 | 30 | 20 | 55 | 45 | 17 | 37 | 32 | 28 | 28 | 12.5 | 5 | 14.5 | M4 |

unit:m/m


RL STAINLESS SERIES



AS-2118-1




AS-2118-2




AS-2118-3

大型 Large Size





中型 Standard Size





變換主體後方止動片方向,可改變把手開啟方向,左右共用

小型 Small Size




不鏽鋼 316，鏡面拋光 Stainless steel 316,Bright polish finish


| | 鏡面拋光 Bright polish finish |
|---|---|
| 大型 Large Size | AS-2118-1 |
| 中型 Standard Size | AS-2118-2 |
| 小型 Small Size | AS-2118-3 |






不鏽鋼 304，振動研磨
Stainless steel 304, Vibration ground

| 振動研磨 Vibration ground | AS-160 |
|---|---|







不鏽鋼 304，振動研磨
Stainless steel 304, Vibration ground

| 振動研磨 Vibration ground | AS-52 |
|---|---|

RL IP65 STAINLESS SERIES


A-705-1B


A-705-3B


A-705-4B


A-705-5B


A-705-8B


AS-705-1


AS-705-3


AS-705-4



A-705-1A



A-705-3A



A-705-4A



A-705-5A



A-705-8A



雙翅 3mm
Double Bit 3mm



三角鎖芯 7mm
Triangular 7mm



四方鎖芯 7mm
Square 7mm


2X4直槽防硬幣型



雙翅 4mm
Double Bit 4mm



三角鎖芯 8mm
Triangular 8mm



2X4 直槽
2x4 Slot



四方直槽 7mm
Square 7mm
with slot



內六角 8mm
帶銷 3mm
Hexagon female
8mm with pin 3mm



四方鎖芯 8mm
Square 8mm


內六角 10mm
Hexagon female
10mm


雙翅 5mm
Double Bit 5mm


四方直槽 8mm
Square 8mm
with slot


四方 8mm
Female Square
8mm


三角帶螺絲孔型
Triangular 10mm
with M5 screw
hole



半圓型鎖芯
Eastern Europe
Ø13



外六角 10mm
Hexagon male
10mm


## 可選配件 Accessories ref. to page #

1. 鎖舌 見頁面 I-001 CAM ref. to page I-001
2. 鑰匙選配9200系列

備註: Remark
1. 專用鑰匙可選 Key different on request.









開孔尺寸
Panel cutout


| 鎖芯類型 Insert type | 鋅合金或不鏽鋼 Zinc die casting or Stainless Steel | | | | |
|---|---|---|---|---|---|
| | 亮鉻 Bright Chrome | 麻面黑 Black Textured Powder Coated | 全塑料 PA | 塑料殼+鋅合金鎖芯 PA Housing+Zinc Die Insert | 全不鏽鋼 SUS304 |
| 雙翅4mm Double Bit 4mm | A-705-1A | A-705-1B | | A-705-1-014-10P | AS-705-1 |
| 三角8mm Triangular 8mm | A-705-3A | A-705-3B | | A-705-3-038-10P | AS-705-3 |
| 四方8mm Square 8mm | A-705-4A | A-705-4B | | A-705-4-048-10P | AS-705-4 |
| 內六角10mm Hexagon femalel 10mm | A-705-5A | A-705-5B | | A-705-5-10P | |
| 2×4直槽型 2×4 Slot | A-705-8A | A-705-8B | | A-705-8-024-10P | |
| 以下規格可訂製 Below Insert On Request | | | | | |
| 雙翅3mm Double Bit 3mm | A-705-1A-013 | A-705-1B-013 | | A-705-1-013-10P | AS-705-1-013 |
| 雙翅5mm Double Bit 5mm | A-705-1A-015 | A-705-1B-015 | A-705-015P-10 | A-705-1-015-10P | AS-705-1-015 |
| 2×4直槽防硬幣型 2×4 Slot coin proof | A-705-8A-124 | A-705-8B-124 | | A-705-8-124-10P | |
| 三角7mm Triangular 7mm | A-705-3A-037 | A-705-3B-037 | | A-705-3-037-10P | AS-705-3-037 |
| 四方7mm Square 7mm | A-705-4A-047 | A-705-4B-047 | | A-705-4-047-10P | AS-705-4-047 |
| 四方7mm 帶槽 Square 7mm with slot | A-705-4A-147 | A-705-4B-147 | | A-705-4-147-10P | |
| 四方8mm 帶槽 Square 8mm with slot | A-705-4A-148 | A-705-4B-148 | | A-705-4-148-10P | |
| 外六角9型 Hexagon malel 9mm | A-705-5A-160 | A-705-5B-160 | | A-705-5-160-10P | |
| 外六角11型 Hexagon malel 11mm | A-705-5A-360 | A-705-5B-360 | | A-705-5-360-10P | |
| 四方6mm Square 6mm | A-705-4A-046 | A-705-4B-046 | | A-705-4-046-10P | |
| 半圓型鎖芯 | A-705-6A | A-705-6B | | A-705-6-135-10P | |
| 三角帶螺絲孔型 Triangular 10mm with M5 screw hole | A-705-7A | A-705-7B | | A-705-7-105-10P | |

NEW

RL IP65




開孔尺寸
Cutout

鎖芯（選配）
Insert(optional )














鋅合金基座、手柄;噴塑黑或電鍍亮鉻。鍍鋅鋼栓。
Zinc die handle and housing black powder coated or bright crome ; zinc plated cam.

| 鎖芯類型 Insert type | 亮鉻 Bright Chrome | 麻面黑 Black Textured Powder Coated |
|---|---|---|
| 雙翅4mm Double Bit 4mm | A-1465-014-30 | A-1465-014-20 |
| 2×4直槽型 2×4 Slot | A-1465-024-30 | A-1465-024-20 |
| 三角7mm Triangular 7mm | A-1465-037-30 | A-1465-037-20 |
| 三角8mm Triangular 8mm | A-1465-038-30 | A-1465-038-20 |
| 四方7mm Square 7mm | A-1465-047-30 | A-1465-047-20 |
| 四方8mm Square 8mm | A-1465-048-30 | A-1465-048-20 |


可選配件 Accessories ref. to page #

1. 鎖舌 見頁面 I-001
   CAM ref. to page I-001

RL IP65 STAINLESS SERIES








可選配件 Accessories ref. to page #

1. 鎖舌見頁面 I-001 CAM ref. to page I-001

備註: Remark
1. 專用鑰匙可選 Key different on request.
2. CH751 鑰匙可選,CH751 key code on request

鋅合金基座、手柄;黑色塗裝或電鍍亮鉻, 鍍鋅鋼栓
Zinc die handle and housing Black powder coated or bright chrome ； M.S. zinc plated cam

| 鎖芯類型 INSERT Type | 鋅合金或不鏽鋼 Zinc die casting or Stainless Steel | | |
|---|---|---|---|
| | 亮鉻 Bright Chrome | 麻面黑 Black Textured Powder coated | 全塑料 PA |
| 圓柱YK333相同鑰匙 Alike YK333 | A-1401-18-30 | A-1401-18-20 | A-1401-18-PA |


RL IP65



A-714-2



A-714




可選配件 Accessories ref. to page #

1. 鎖舌見頁面 I-001 CAM ref. to page I-001

備註: Remark
1. 專用鑰匙可選 Key different on request.
2. CH751 鑰匙可選,CH751 key code on request

鋅合金鎖殼, 黑色塗裝或電鍍亮鉻, 塑料手柄+鋅合金鎖芯, 鍍鋅鋼鎖舌
Zinc die handle and housing black powder coated or bright chrome ：
M.S. zinc plated cam and shaft


| 鎖芯類型 INSERT Type | 鋅合金或不鏽鋼 Zinc die casting or Stainless Steel | |
|---|---|---|
| | 亮鉻 Bright Chrome | 麻面黑 Black Textured Powder coated |
| 雙翅旋鈕型 Wingknob | A-714-2-30 | A-714-2 |
| 星型把手 Star knob | A-714-30 | A-714 |


# MEMO


RL IP65 STAINLESS SERIES











鋅合金基座、手柄；黑色塗裝或電鍍亮鉻，鍍鋅鋼栓
Zinc die handle and housing Black powder coated or bright chrome ； M.S. zinc plated cam

| | 鑰匙雙點插拔 |
|---|---|
| 麻面黑 Black Textured Powder coated | A-1401-20-20 |
| 亮鉻 Bright Chrome | A-1401-20-30 |


可選配件 Accessories ref. to page #


1. 鎖舌 見頁面 I-001
   CAM ref. to page I-001


備註: Remark
1. 專用鑰匙可選 Key different on request.
2. CH751 鑰匙可選,CH751 key code on request

RL










開孔尺寸
Panel Cutout


鋅合金，黑色塗裝或電鍍亮鉻，鍍鋅鋼栓
Zinc die, Black powder coated or bright chrome ； M.S. zinc plated cam


| | |
|---|---|
| 麻面黑 Black Textured Powder coated | A-1403-20-20 |
| 亮鉻 Bright Chrome | A-1403-20-30 |


RL IP65




NEW








鋅合金基座、手柄;噴塑黑或電鍍亮鉻。鍍鋅鋼栓
Zinc die handle and housing black powder coated or birght chrome; zinc plated cam

| 麻面黑 Black Textured Powder coated | 亮鉻 Bright Chrome |
|---|---|
| A-1435-110-20 | A-1435-110-30 |

可選配件 Accessories ref. to page #

1. 鎖舌 見頁面 I-001
   CAM ref. to page I-001




鋅合金基座、手柄；黑色塗裝或電鍍亮鉻, 鍍鋅鋼栓
Zinc die handle and housing Black powder coated or bright chrome； M.S. zinc plated cam

| | 亮鉻 Bright Chrome | 麻面黑 Black Textured Powder coated | 全不鏽鋼 SUS316 |
|---|---|---|---|
| 帶鎖芯 Key locking | A-1402-110-30 | A-1402-110-20 | AS-1402-110-316 |
| 不帶鎖芯 Non-locking | A-1402-100-30 | A-1402-100-20 | AS-1402-100-316 |






可選配件 Accessories ref. to page #

1. 鎖舌 見頁面 I-001
   CAM ref. to page I-001

備註: Remark
1. 專用鑰匙可選 Key different on request.
2. CH751 鑰匙可選,CH751 key code on request




鋅合金基座、手柄；鍍鋅鋼栓
Zinc die handle and housing Black powder coated or bright chrome； M.S. zinc plated cam

| | 鎖舌H | 麻面黑 Black Textured Powder coated | 亮鉻 Bright Chrome |
|---|---|---|---|
| 不帶鎖芯 Non-locking | H=7.5 | A-1402-300-20,107.5 | A-1402-300-30,107.5 |
| | H=13.5 | A-1402-300-20,1013.5 | A-1402-300-30,1013.5 |
| | H=19.5 | A-1402-300-20,1019.5 | A-1402-300-30,1019.5 |
| 帶鎖芯 Key locking | H=7.5 | A-1402-310-20,107.5 | A-1402-310-30,107.5 |
| | H=13.5 | A-1402-310-20,1013.5 | A-1402-310-30,1013.5 |
| | H=19.5 | A-1402-310-20,1019.5 | A-1402-310-30,1019.5 |







可選配件 Accessories ref. to page #

備註: Remark
鑰匙編號:2233
Key code:223

RL IP65


















鋅合金基座、手柄；鍍鋅鋼栓
Zinc die handle and housing Black powder coated or bright chrome ； M.S. zinc plated cam


| | 鎖舌H | 麻面黑 Black Textured Powder coated | 亮鉻 Bright Chrome |
|---|---|---|---|
| 不帶鎖芯 Non-locking | H=7.5 | A-1402-400-20,107.5 | A-1402-400-30,107.5 |
| | H=13.5 | A-1402-400-20,1013.5 | A-1402-400-30,1013.5 |
| | H=19.5 | A-1402-400-20,1019.5 | A-1402-400-30,1019.5 |
| 帶鎖芯 Key locking | H=7.5 | A-1402-410-20,107.5 | A-1402-410-30,107.5 |
| | H=13.5 | A-1402-410-20,1013.5 | A-1402-410-30,1013.5 |
| | H=19.5 | A-1402-410-20,1019.5 | A-1402-410-30,1019.5 |




鋅合金基座、手柄；鍍鋅鋼栓
Zinc die handle and housing Black powder coated or bright chrome ； M.S. zinc plated cam


| | 鎖舌H | 麻面黑 Black Textured Powder coated | 亮鉻 Bright Chrome |
|---|---|---|---|
| 不帶鎖芯 Non-locking | H=7.5 | A-1402-500-20,107.5 | A-1402-500-30,107.5 |
| | H=13.5 | A-1402-500-20,1013.5 | A-1402-500-30,1013.5 |
| | H=19.5 | A-1402-500-20,1019.5 | A-1402-500-30,1019.5 |
| 帶鎖芯 Key locking | H=7.5 | A-1402-510-20,107.5 | A-1402-510-30,107.5 |
| | H=13.5 | A-1402-510-20,1013.5 | A-1402-510-30,1013.5 |
| | H=19.5 | A-1402-510-20,1019.5 | A-1402-510-30,1019.5 |

NEW




鋅合金基座、手柄；噴塑黑或電鍍亮鉻，鍍鋅鋼栓。
Nylon glass fiber, black

| 鎖芯類型 Insert type | GH=30 亮鉻 Bright Chrome | GH=30 麻面黑 Black Texured Powder Coated | GH=50 亮鉻 Bright Chrome | GH=50 麻面黑 Black Texured Powder Coated |
|---|---|---|---|---|
| 帶鎖芯 Key Locking | A-1402-30110-30 | A-1402-30110-20 | A-1402-50110-30 | A-1402-50110-20 |
| 不帶鎖芯 Non-Locking | A-1402-30100-30 | A-1402-30100-20 | A-1402-50100-30 | A-1402-50100-20 |







鋅合金基座、手柄；黑色塗裝或電鍍亮鉻, 鍍鋅鋼栓或全不鏽鋼
Zinc die handle and housing Black powder coated or bright chrome ；
M.S. zinc plated cam or full stainless steel

| | |
|---|---|
| 麻面黑 Black Textured Powder coated | A-714-3 |
| 亮鉻 Bright Chrome | A-714-3-30 |
| 全不鏽鋼 SUS316 | AS-714-3-316 |

可選配件 Accessories ref. to page #

1. 鎖舌見頁面 I-001
   CAM ref. to page I-001







尼龍玻纖黑色
Nylon glass fiber, black

| | |
|---|---|
| 黑色 Black | A-817-2 |







掛鎖孔
Padlock hole





鎖殼帶 2 個掛鎖孔
Housing with 2 padlock holes




鎖殼帶 4 個掛鎖孔
Housing with 4 padlock holes




開孔尺寸
Panel Cutout


鋅合金基座、鎖芯；黑色塗裝或電鍍亮鉻，鍍鋅鋼栓
Zinc die housing and cylinder ： Black textured powder coated or bright chrome, M.S. zinc plated cam


| | 鎖殼2H 2 padlock holes | | 鎖殼4H 4 padlock holes | |
|---|---|---|---|---|
| 鎖芯類型 Insert type | GH=22 鋅合金, 麻面黑 GH=22 Zinc die, black textured powder coated | GH=22 全不鏽鋼 GH=22 Full stainless steel | GH=22 鋅合金, 麻面黑 GH=22 Zinc die, black textured powder coated | GH=22 全不鏽鋼 GH=22 Full stainless steel |
| 雙翅3mm Double Bit 3mm | A-1407-220132H-20 | A-1407-220132H-304 | A-1407-220134H-20 | A-1407-220134H-304 |
| 雙翅4mm Double Bit 4mm | A-1407-220142H-20 | A-1407-220142H-304 | A-1407-220144H-20 | A-1407-220144H-304 |
| 雙翅5mm Double Bit 5mm | A-1407-220152H-20 | A-1407-220152H-304 | A-1407-220154H-20 | A-1407-220154H-304 |
| 2×4直槽型 2×4 Slot | A-1407-220242H-20 | A-1407-220242H-304 | A-1407-220244H-20 | A-1407-220244H-304 |
| 三角7mm Triangular 7mm | A-1407-220372H-20 | A-1407-220372H-304 | A-1407-220374H-20 | A-1407-220374H-304 |
| 三角8mm Triangular 8mm | A-1407-220382H-20 | A-1407-220382H-304 | A-1407-220384H-20 | A-1407-220384H-304 |
| 四方7mm Square 7mm | A-1407-220472H-20 | A-1407-220472H-304 | A-1407-220474H-20 | A-1407-220474H-304 |
| 四方8mm Square 8mm | A-1407-220482H-20 | A-1407-220482H-304 | A-1407-220484H-20 | A-1407-220484H-304 |

可選配件 Accessories ref. to page #

1. 鎖舌 見頁面 I-001
   CAM ref. to page I-001

# 直角轉舌鎖 | QUARTER TURN LOCK | A-705-3D







鋅合金基座、手柄;鍍鋅鋼栓
Zinc die handle and housing Black powder coated ； M.S. zinc plated cam.

| MODEL NO. | 可調節深度(Adjust"L"length) | | |
|---|---|---|---|
| A-705-3D-21 | 16 | 18.5 | 21 |
| A-705-3D-28 | 23 | 25.5 | 28 |
| A-705-3D-37 | 32 | 34.5 | 37 |

unit:m/m

# 拉手鎖 | HANDLE LOCK | A-1312






鋅合金基座、手柄;鍍鋅鋼栓;不鏽鋼掛鎖扣。
Zinc die cast handle and housing ； M.S. zinc plated cam; stainless steel padlock device.

| 麻面黑 Black textured powder coated | 亮鉻 Bright Chrome |
|---|---|
| A-1312-10-20 | A-1312-10-30 |

可選配件 Accessories ref. to page #

1. 鎖舌 見頁面 I-001
   CAM ref. to page I-001

RL IP65



A-845-024



A-845-036





A-845-110





A-845-046











手柄型
Handle type



三角鎖芯 6.5mm
Triangular 6.5mm



四方鎖芯 6mm
Square 6mm





開孔尺寸
Panel Cutout

鋅合金，鍍鋅鋼栓
Zinc die body,black textured powder coated or bright chrome,M.S zinc plated cam.

| | | 螺母安裝（開孔A型） | | |
|---|---|---|---|---|
| 鎖芯類型 Cylinder style | 鎖舌款式H Cam Style H | 鋅合金 表面處理 Surface | | 全不鏽鋼 316 SUS316 |
| | | 亮鉻 Bright Chrome | 麻面黑 Black Textured Powder Coated | |
| 四方6 Square6mm | H=7.5 | A-845-046-130.107.5 | A-845-046-120.107.5 | AS-845-046-1316.107.5 |
| | H=13.5 | A-845-046-130.1013.5 | A-845-046-120.1013.5 | AS-845-046-1316.1013.5 |
| | H=19.5 | A-845-046-130.1019.5 | A-845-046-120.1019.5 | AS-845-046-1316.1019.5 |
| 三角6.5 Triangular 6.5mm | H=7.5 | A-845-036-130.107.5 | A-845-036-120.107.5 | AS-845-036-1316.107.5 |
| | H=13.5 | A-845-036-130.1013.5 | A-845-036-120.1013.5 | AS-845-036-1316.1013.5 |
| | H=19.5 | A-845-036-130.1019.5 | A-845-036-120.1019.5 | AS-845-036-1316.1019.5 |
| 直槽1.5 Slot 1.5 | H=7.5 | A-845-024-130.107.5 | A-845-024-120.107.5 | AS-845-024-1316.107.5 |
| | H=13.5 | A-845-024-130.1013.5 | A-845-024-120.1013.5 | AS-845-024-1316.1013.5 |
| | H=19.5 | A-845-024-130.1019.5 | A-845-024-120.1019.5 | AS-845-024-1316.1019.5 |
| 手柄型 Handle type | H=7.5 | A-845-110-130.107.5 | A-845-110-120.107.5 | AS-845-110-1316.107.5 |
| | H=13.5 | A-845-110-130.1013.5 | A-845-110-120.1013.5 | AS-845-110-1316.1013.5 |
| | H=19.5 | A-845-110-130.1019.5 | A-845-110-120.1019.5 | AS-845-110-1316.1019.5 |

RL IP65






鋅合金，鍍鋅鋼栓
Zinc die body,black textured powder coated or bright chrome,M.S zinc plated cam.

| | 鋅合金 Zinc die | | 全不鏽鋼316 SUS316 |
|---|---|---|---|
| 鎖芯類型 Cylinder Style | 黑色塗裝 Black Powder Coated | 亮鉻 Bright Chrome | |
| 雙翅鎖芯5 Double Bit 5mm | A-1413-015-20 | A-1413-015-30 | |
| 四方鎖芯7 Square 7mm | A-1413-047-20 | A-1413-047-30 | |
| 2X4 直槽型 2X4 Slot | | | AS-1413-024-316 |


可選配件 Accessories ref. to page #

1. 鎖舌見頁面 I-001
   Cam ref. to page I-001

備註：內置彈簧，O型圈，按壓時鎖芯伸縮1.5mm
Innerspring, O-ring, Pull-up 1.5mm








鋅合金，鍍鋅鋼栓
Zinc die body,black textured powder coated or bright chrome,M.S zinc plated cam.

| | 鋅合金 Zinc die | |
|---|---|---|
| 鎖芯類型 Cylinder Style | S01:CL=30,H=16 | S02:CL=36,H=50 |
| 雙翅鎖芯5 Double Bit 5mm | A-1413-015-21.S01 | A-1413-015-21.S02 |
| 四方鎖芯7 Square 7mm | A-1413-047-21.S01 | A-1413-047-21.S02 |

可選配件 Accessories ref. to page #

備註：內置彈簧，O型圈，按壓時鎖芯伸縮1.5mm
Innerspring, O-ring, Pull-up 1.5mm

RL







A-1415-024




A-1415-110





把手型
Wingknob




開孔尺寸
Panel cutout




一字槽2X13mm型
Slot 2X13mm


可選配件 Accessories ref. to page #

1. 鎖舌 見頁面 I-002, 9I00-07XX系列
   CAM ref. to page I-002

鋅合金鎖體，鍍鋅鋼鋼栓
Zinc die black textured powder coated or bright chrome,M.S. zinc plated cam.

| 鎖芯款式 Insert Type | 麻面黑 Black Textured Powder coated | 電鍍 Textured chrome |
|---|---|---|
| 高把手Tall wingknob | A-1415-110-20 | A-1415-110-30 |
| 一字槽2X13 slot | A-1415-024-20 | A-1415-024-30 |

RL




開孔尺寸
Panel Cutout




可選配件 Accessories ref. to page #

1. 鎖舌 見頁面 I-001
   CAM ref. to page I-001

鋅合金鎖體，黑色塗裝或鍍鉻，鍍鋅鋼鋼栓
Zinc die ， Black powder coated or bright chrome ,M.S. zinc plated cam 。

| | 黑色塗裝 Black Powder Coated | 亮鉻 Bright Chrome |
|---|---|---|
| | A-1417-110-10 | A-1417-110-30 |




開孔尺寸
Panel Cutout



可選配件 Accessories ref. to page #


備註: Remark
鑰匙編號：2233
Key code:2233

鋅合金鎖體,帶螺母
Zinc die. with nut

| 螺母安裝 With nut mounting | |
|---|---|
| 麻面黑 Black Textured Powder Coated | 亮鉻 Bright Chrome |
| A-1418-1-20 | A-1418-1-30 |

RL







316不鏽鋼彈力鎖舌，不鏽鋼定位環和螺絲
Slam Cam SUS316 spacer screw stainless steel 316


| | 全不鏽鋼 316 SUS316 | |
|---|---|---|
| 鎖芯類型 cylinder Style | 左開 Left | 右開 Right |
| 內四方鎖芯 8 Square Female 8mm | AS-1419-248-304L | AS-1419-248-304R |

NEW

RL IP65











| 鋅合金 Zinc die casting | | | | |
|---|---|---|---|---|
| 鎖芯類型 Cylinder Style | 左開 Left | | 右開 Right | |
| | 亮鉻 Bright Chrome | 麻面黑 Black Textured Powder Coated | 亮鉻 Bright Chrome | 麻面黑 Black Textured Powder Coated |
| 雙翅 3mm Double Bit 3mm | A-1419-013-30L | A-1419-013-20L | A-1419-013-30R | A-1419-013-20R |
| 雙翅 4mm Double Bit 4mm | A-1419-014-30L | A-1419-014-20L | A-1419-014-30R | A-1419-014-20R |
| 雙翅 5mm Double Bit 5mm | A-1419-015-30L | A-1419-015-20L | A-1419-015-30R | A-1419-015-20R |
| 2×4直槽型 2×4 Slot | A-1419-024-30L | A-1419-024-20L | A-1419-024-30R | A-1419-024-20R |
| 2×4直槽防硬幣型 2×4 Slot coin proof | A-1419-124-30L | A-1419-124-20L | A-1419-124-30R | A-1419-124-20R |
| 三角 7mm Triangular 7mm | A-1419-037-30L | A-1419-037-20L | A-1419-037-30R | A-1419-037-20R |
| 三角 8mm Triangular 8mm | A-1419-038-30L | A-1419-038-20L | A-1419-038-30R | A-1419-038-20R |
| 四方 6mm Square 6mm | A-1419-046-30L | A-1419-046-20L | A-1419-046-30R | A-1419-046-20R |
| 四方 7mm Square 7mm | A-1419-047-30L | A-1419-047-20L | A-1419-047-30R | A-1419-047-20R |
| 四方 8mm Square 8mm | A-1419-048-30L | A-1419-048-20L | A-1419-048-30R | A-1419-048-20R |
| 四方 7mm 帶槽 Square 7mm with slot | A-1419-147-30L | A-1419-147-20L | A-1419-147-30R | A-1419-147-20R |
| 四方 8mm 帶槽 Square 8mm with slot | A-1419-148-30L | A-1419-148-20L | A-1419-148-30R | A-1419-148-20R |
| 內四方8型 Female square 8mm | A-1419-248-30L | A-1419-248-20L | A-1419-248-30R | A-1419-248-20R |
| 內六角 8mm Hexagon female 8mm | A-1419-168-30L | A-1419-168-20L | A-1419-168-30R | A-1419-168-20R |
| 內六角 9mm Hexagon female 9mm | A-1419-169-30L | A-1419-169-20L | A-1419-169-30R | A-1419-169-20R |
| 內六角 10mm Hexagon female 10mm | A-1419-160-30L | A-1419-160-20L | A-1419-160-30R | A-1419-160-20R |
| 內六角8mm 帶銷3mm Hexagon female 8mm with3mm pin | A-1419-268-30L | A-1419-268-20L | A-1419-268-30R | A-1419-268-20R |
| 外六角10型 Hexagon male 10mm | A-1419-360-30L | A-1419-360-20L | A-1419-360-30R | A-1419-360-20R |
| 半圓型鎖芯 13 Eastern Europe Ø13 | A-1419-135-30L | A-1419-135-20L | A-1419-135-30R | A-1419-135-20R |
| 三角帶螺絲孔型 Triangular 10mm with M5 screw hole | A-1419-105-30L | A-1419-105-20L | A-1419-105-30R | A-1419-105-20R |

RL











GH=18



GH=30




開孔尺寸
Panel cutout

**若需其他鎖芯可訂製**

| 鎖芯類型 Cylinder Style | 鎖殼GH=18 Housing GH=18 | | | | 鎖殼GH=30 Housing GH=30 | | | |
|---|---|---|---|---|---|---|---|---|
| | 鋅合金或不鏽鋼 Zinc die casting or Stainless Steel | | | | 鋅合金或不鏽鋼 Zinc die casting or Stainless Steel | | | |
| | 亮鉻 Bright Chrome | 麻面黑 Black Textured Powder Coated | 塑料殼+鋅合金鎖芯 PA Housing+Zinc Die Insert | 全不鏽鋼 Stainless Steel | 亮鉻 Bright Chrome | 麻面黑 Black Textured Powder Coated | 塑料殼+鋅合金鎖芯 PA Housing+Zinc Die Insert | 全不鏽鋼 Stainless Steel |
| 雙翅4 Double Bit 4mm | A-1420-18014-30 | A-1420-18014-20 | A-1420-18014-10P | AS-1420-18014-316 | A-1420-30014-30 | A-1420-30014-20 | A-1420-30014-10P | AS-1420-30014-316 |
| 2X4 直槽型 2X4 Slot | A-1420-18024-30 | A-1420-18024-20 | A-1420-18024-10P | AS-1420-18024-316 | A-1420-30024-30 | A-1420-30024-20 | A-1420-30024-10P | AS-1420-30024-316 |
| 三角8 Triangular 8mm | A-1420-18038-30 | A-1420-18038-20 | A-1420-18038-10P | AS-1420-18038-316 | A-1420-30038-30 | A-1420-30038-20 | A-1420-30038-10P | AS-1420-30038-316 |
| 四方8 Square 8mm | A-1420-18048-30 | A-1420-18048-20 | A-1420-18048-10P | AS-1420-18048-316 | A-1420-30048-30 | A-1420-30048-20 | A-1420-30048-10P | AS-1420-30048-316 |
| 內六角8 Hexagon female 8mm | A-1420-18168-30 | A-1420-18168-20 | A-1420-18168-10P | AS-1420-18168-316 | A-1420-30168-30 | A-1420-30168-20 | A-1420-30168-10P | AS-1420-30168-316 |
| 內六角9 Hexagon female 9mm | A-1420-18169-30 | A-1420-18169-20 | A-1420-18169-10P | AS-1420-18169-316 | A-1420-30169-30 | A-1420-30169-20 | A-1420-30169-10P | AS-1420-30169-316 |
| 外六角10型 Hexagon male 10mm | A-1420-18360-30 | A-1420-18360-20 | A-1420-18360-10P | AS-1420-18360-316 | A-1420-30360-30 | A-1420-30360-20 | A-1420-30360-10P | AS-1420-30360-316 |

| 鎖芯類型 Cylinder Style | 鎖殼GH=36 Housing GH=36 | | | | 鎖殼GH=40 Housing GH=40 | | | |
|---|---|---|---|---|---|---|---|---|
| | 鋅合金或不鏽鋼 Zinc die casting or Stainless Steel | | | | 鋅合金或不鏽鋼 Zinc die casting or Stainless Steel | | | |
| | 亮鉻 Bright Chrome | 麻面黑 Black Textured Powder Coated | 塑料殼+鋅合金鎖芯 PA Housing+Zinc Die Insert | 全不鏽鋼 Stainless Steel | 亮鉻 Bright Chrome | 麻面黑 Black Textured Powder Coated | 塑料殼+鋅合金鎖芯 PA Housing+Zinc Die Insert | 全不鏽鋼 Stainless Steel |
| 雙翅4 Double Bit 4mm | A-1420-36014-30 | A-1420-36014-20 | A-1420-36014-10P | AS-1420-36014-316 | A-1420-40014-30 | A-1420-40014-42 | A-1420-40014-10P | AS-1420-40014-316 |
| 2X4 直槽型 2X4 Slot | A-1420-36024-30 | A-1420-36024-20 | A-1420-36024-10P | AS-1420-36024-316 | A-1420-40024-30 | A-1420-40024-42 | A-1420-40024-10P | AS-1420-40024-316 |
| 三角8 Triangular 8mm | A-1420-36038-30 | A-1420-36038-20 | A-1420-36038-10P | AS-1420-36038-316 | A-1420-40038-30 | A-1420-40038-42 | A-1420-40038-10P | AS-1420-40038-316 |
| 四方8 Square 8mm | A-1420-36048-30 | A-1420-36048-20 | A-1420-36048-10P | AS-1420-36048-316 | A-1420-40048-30 | A-1420-40048-42 | A-1420-40048-10P | AS-1420-40048-316 |
| 內六角8 Hexagon female 8mm | A-1420-36168-30 | A-1420-36168-20 | A-1420-36168-10P | AS-1420-36168-316 | A-1420-40168-30 | A-1420-40168-42 | A-1420-40168-10P | AS-1420-40168-316 |
| 內六角9 Hexagon female 9mm | A-1420-36169-30 | A-1420-36169-20 | A-1420-36169-10P | AS-1420-36169-316 | A-1420-40169-30 | A-1420-40169-42 | A-1420-40169-10P | AS-1420-40169-316 |
| 外六角10型 Hexagon male 10mm | A-1420-36360-30 | A-1420-36360-20 | A-1420-36360-10P | AS-1420-36360-316 | A-1420-40360-30 | A-1420-40360-42 | A-1420-40360-10P | AS-1420-40360-316 |



GH=36



GH=40



GH=50




GH=60


鋅合金基座、手柄;黑色塗裝或電鍍亮鉻,鍍鋅鋼栓。 或全不鏽鋼
Zinc die handle and housing , black powder coated or bright chrome,M.S. zinc plated cam or full stainless steel.

| 鎖芯類型 Cylinder Style | 鎖殼GH=50 Housing GH=50 | | | | 鎖殼GH=60 Housing GH=60 | | | |
|---|---|---|---|---|---|---|---|---|
| | 鋅合金或不鏽鋼 Zinc die casting or Stainless Steel | | | | 鋅合金或不鏽鋼 Zinc die casting or Stainless Steel | | | |
| | 亮鉻 Bright Chrome | 麻面黑 Black Textured Powder Coated | 塑料殼+鋅合金鎖芯 PA Housing+Zinc Die Insert | 全不鏽鋼 Stainless Steel | 亮鉻 Bright Chrome | 麻面黑 Black Textured Powder Coated | 塑料殼+鋅合金鎖芯 PA Housing+Zinc Die Insert | 全不鏽鋼 Stainless Steel |
| 雙翅4 Double Bit 4mm | A-1420-50014-30 | A-1420-50014-20 | A-1420-50014-10P | AS-1420-50014-316 | A-1420-60014-30 | A-1420-60014-20 | A-1420-60014-10P | AS-1420-60014-316 |
| 2X4 直槽型 2X4 Slot | A-1420-50024-30 | A-1420-50024-20 | A-1420-50024-10P | AS-1420-50024-316 | A-1420-60024-30 | A-1420-60024-20 | A-1420-60024-10P | AS-1420-60024-316 |
| 三角8 Triangular 8mm | A-1420-50038-30 | A-1420-50038-20 | A-1420-50038-10P | AS-1420-50038-316 | A-1420-60038-30 | A-1420-60038-20 | A-1420-60038-10P | AS-1420-60038-316 |
| 四方8 Square 8mm | A-1420-50048-30 | A-1420-50048-20 | A-1420-50048-10P | AS-1420-50048-316 | A-1420-60048-30 | A-1420-60048-20 | A-1420-60048-10P | AS-1420-60048-316 |
| 內六角8 Hexagon female 8mm | A-1420-50168-30 | A-1420-50168-20 | A-1420-50168-10P | AS-1420-50168-316 | A-1420-60168-30 | A-1420-60168-20 | A-1420-60168-10P | AS-1420-60168-316 |
| 內六角9 Hexagon female 9mm | A-1420-50169-30 | A-1420-50169-20 | A-1420-50169-10P | AS-1420-50169-316 | A-1420-60169-30 | A-1420-60169-20 | A-1420-60169-10P | AS-1420-60169-316 |
| 外六角10型 Hexagon male 10mm | A-1420-50360-30 | A-1420-50360-20 | A-1420-50360-10P | AS-1420-50360-316 | A-1420-60360-30 | A-1420-60360-20 | A-1420-60360-10P | AS-1420-60360-316 |


**若需其他鎖芯可訂製**





雙翅3mm
Double Bit 3mm




三角鎖芯 7mm
Triangular 7mm





四方鎖芯 7mm
Square 7mm





2X4直槽
2x4 Slot





雙翅4mm
Double Bit 4mm





三角鎖芯 8mm
Triangular 8mm





四方鎖芯 8mm
Square 8mm





內六角8mm
Hexagon female 8mm





雙翅5mm
Double Bit 5mm





四方直槽7mm
Square 7mm
with slot




四方直槽8mm
Square 8mm
with slot




2X4直槽
防硬幣型





內四方8mm
Female Square 8mm




外六角10mm
Hexagon male
10mm



內六角8mm
帶銷3mm
Hexagon female
8mm with pin 3mm




三角帶螺絲孔型
Triangular 10mm
with M5 screw hole

# A-816-3 | COMPRESSION LATCH, MINI VERSION, ADJUSTABLE GRIP RANGE | 壓縮式門鎖,小型,可調間距

RL IP65



A-816-3-05




A-816-3-04





A-816-3-20



A-816-3-08









一字槽型
Slotted recess

工具操縱型
Tool-operated

鑰匙操縱型
Key operated

把手型
Knob style











防水蓋，適用於A-816-3系列
Water dust proof cover: For A-816-3 series

選配件，需單獨訂購
Optional components, Need to be ordered separately.

產品編號 (part#)：TX-2014-2
取手 (Pull-Tab)





鋼鍍鎳鑰匙，
適用於鑰匙操縱型號
Key for key operated style.




開孔尺寸
Panel Cutout

噴塑鎖體,鍍鋅鋼鎖片
Zinc die,black powder coated or bright chrome, M.S. zinc plated cam.


| 間距 Grip Range | | 鎖頭類型 Head Style | | | |
|---|---|---|---|---|---|
| 最小 Min | 最大 Max | 一字槽型 Slotted recess | 工具操縱型 Tool-operated | 把手型 Knob style | 鑰匙操縱型 Key operated |
| 3.2 | 6.4 | A-816-3-05-1510 | A-816-3-04-1510 | A-816-3-08-1510 | A-816-3-20-1510 |
| 6.4 | 9.5 | A-816-3-05-2510 | A-816-3-04-2510 | A-816-3-08-2510 | A-816-3-20-2510 |
| 9.5 | 12.7 | A-816-3-05-3510 | A-816-3-04-3510 | A-816-3-08-3510 | A-816-3-20-3510 |
| 12.7 | 15.9 | A-816-3-05-4510 | A-816-3-04-4510 | A-816-3-08-4510 | A-816-3-20-4510 |
| 15.9 | 19 | A-816-3-05-5510 | A-816-3-04-5510 | A-816-3-08-5510 | A-816-3-20-5510 |
| 19 | 22.2 | A-816-3-05-6510 | A-816-3-04-6510 | A-816-3-08-6510 | A-816-3-20-6510 |
| 22.2 | 25.4 | A-816-3-05-7510 | A-816-3-04-7510 | A-816-3-08-7510 | A-816-3-20-7510 |
| 25.4 | 28.6 | A-816-3-05-8510 | A-816-3-04-8510 | A-816-3-08-8510 | A-816-3-20-8510 |




壓縮量：6.5mm
Pull-up 6.5mm


選配件，需單獨訂購
Optional components, Need to be ordered separately.

產品編號 (part#)：TX-2014
取手 (Pull-Tab)




除了把手型，
其他可選配
Not suitable for Knob style


產品編號 (part#)：TX2015
防水蓋 (Water dust proof cover)




鎖芯(選配)
Insert (optional)




開孔尺寸
Panel cutout




產品編號(part#):9200-1422-80
鑰匙操縱型鎖芯專用鑰匙
For key operated




鑰匙操縱型 Key operated
雙翅型3 Double bit 3
三角7 Triangle 7
三角8 Triangle 8
四方7 Square 7
四方8 Square 8
內六角8 Hex female 8
外六角10 Hex.male 10
一字槽型 Slotted recess
把手型 Knob style


A-816-2-048


A-816-2-038


A-816-2-037


A-816-2-013


A-816-2-068


A-816-2-05


A-816-2-07

鋅合金基座、鎖芯；黑色塗裝或電鍍亮鉻,鍍鋅鋼栓和轉軸。
Zinc die housing cylinder; Black powder coated or bright chrome ,M.S. zinc plated cam and shaft.

| 間距 Grip Range | | | 鎖頭類型 Head Style | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 鎖片款式 Camstyle | 最小 Min | 最大 Max | 鑰匙操縱型 Key operated | 雙翅型 Double bit 3mm | 三角 Triangle 7mm | 三角 Triangle 8mm | 四方 Square 7mm | 四方 Square 8mm | 一字槽型 Slotted recess | 內六角 Hex female 8mm | 外六角 Hexmale10mm | 把手型 Knob style |
| 正向鎖片 reversed cam | 11.4 | 27.2 | A-816-2-20-1510 | A-816-2-013-1510 | A-816-2-037-1510 | A-816-2-038-1510 | A-816-2-047-1510 | A-816-2-048-1510 | A-816-2-05-1510 | A-816-2-068-1510 | A-816-2-060-1510 | A-816-2-07-1510 |
| | 25.4 | 41.1 | A-816-2-20-2510 | A-816-2-013-2510 | A-816-2-037-2510 | A-816-2-038-2510 | A-816-2-047-2510 | A-816-2-048-2510 | A-816-2-05-2510 | A-816-2-068-2510 | A-816-2-060-2510 | A-816-2-07-2510 |
| 直立鎖片 straight cam | 38.9 | 54.6 | A-816-2-20-3510 | A-816-2-013-3510 | A-816-2-037-3510 | A-816-2-038-3510 | A-816-2-047-3510 | A-816-2-048-3510 | A-816-2-05-3510 | A-816-2-068-3510 | A-816-2-060-3510 | A-816-2-07-3510 |
| 反向鎖片 offset cam | 52.6 | 68.3 | A-816-2-20-2510 | A-816-2-013-2510 | A-816-2-037-2510 | A-816-2-038-2510 | A-816-2-047-2510 | A-816-2-048-2510 | A-816-2-05-2510 | A-816-2-068-2510 | A-816-2-060-2510 | A-816-2-07-2510 |
| | 66.3 | 76.2 | A-816-2-20-1510 | A-816-2-013-1510 | A-816-2-037-1510 | A-816-2-038-1510 | A-816-2-047-1510 | A-816-2-048-1510 | A-816-2-05-1510 | A-816-2-068-1510 | A-816-2-060-1510 | A-816-2-07-1510 |

RL IP65


A-816-1-013


A-816-1-068



A-816-1-048


A-816-1-037


A-816-1-05


A-816-1-07



A-816-1-038-G (Gray Blue)




壓縮量：6.5mm
Pull-up 6.5mm


選配件，需單獨訂購
Optional components, Need to be ordered separately.


產品編號（part#）：TX-2014
取手（Pull-Tab）




除了把手型，其他可選配
Not suitable for Knob style

產品編號（part#）：TX-2015
防水蓋（Water dust proof cover）





開孔尺寸
Panel cutout




鑰匙操縱型鎖芯專用鑰匙
For key operated
產品編號（part#）：9200-1422-80




鑰匙操縱型 Key operated | 雙翅型3 Double bit 3 | 三角7 Triangle 7 | 三角8 Triangle 8 | 四方7 Square 7

四方8 Square 8 | 內六角8 Hex female 8 | 外六角10 Hex.male 10 | 一字槽型 Slotted recess | 把手型 Knob style

## 可選配件 Accessories ref. to page #


1.鎖舌見頁面 I-002, 9I00-08XX系列
Cam ref. to page I-002

鋅合金基座、鎖芯；黑色塗裝或電鍍亮鉻，灰藍烤漆，鍍鋅鋼栓和轉軸。
Zinc die housing cylinder; Black powder coated or bright chrome , Gray blue powder, M.S. zinc plated cam and shaft.

### 鎖頭類型 Head Style

| 鎖片款式 Camstyle | 鑰匙操縱型(黑) Key operated | 雙翅型(黑) Double bit 3mm | 三角(黑) Triangle 7mm | 三角(黑) Triangle 8mm | 三角(灰) Triangle 8mm | 四方(黑) Square 7mm | 四方(黑) Square 8mm | 一字槽型(黑) Slotted recess | 內六角(黑) Hex female 8mm | 外六角(黑) Hexmale10mm | 把手型(黑) Knob style |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 見頁面 9I-002 Cam ref, to page 9I-002 | A-816-1-20-10 | A-816-1-013-10 | A-816-1-037-10 | A-816-1-038-10 | A-816-1-038-G | A-816-1-047-10 | A-816-1-048-10 | A-816-1-05-10 | A-816-1-068-10 | A-816-1-060-10 | A-816-1-07-10 |

## 拉手鎖 | HANDLE LOCK | A-707-1





RL



鋅合金，鍍鋅鋼栓
Zinc die body, bright chrome, M.S zinc plated cam.

| 鋅合金鍍鉻 Zinc die, bright chrome | A-707-1 |
|---|---|

## 壓縮式門鎖，大型，固定間距 | COMPRESSION LATCH, LARGE VERSION, FIXED GRIP RANGE | A-823






鎖蓋關上狀態　　鎖蓋開啟狀態


RL



鋅合金，鍍鋅鋼栓
Zinc die body, bright chrome, M.S zinc plated cam.

| 鋅合金鍍鉻 Zinc die, bright chrome | A-823 |
|---|---|

## 按壓式門鎖 | PUSH TO CLOSE LATCH | A-1432






| 鎖芯類型 Cylinder Style | 鎖殼GH=20 鋅合金 Zinc die housing; GH=20 |
|---|---|
| | 鍍鎳 Nickel Plated |
| 四方7帶箭頭 Square 7mm with arrow | A-1432-047-80 |
| 三角6.5 Triangular 6.5mm | A-1432-036-80 |

可選配件 Accessories ref. to page #

備註：內裝彈簧，O型圈，帶防震功能。


RL








NEW






開孔尺寸
Panel cutout



選配件，需單獨訂購
Optional components, Need to be ordered separately
產品編號(part #):TX-1426
取手(Pull-Tab)

黑色塑料PA鎖殼，取手，螺母，鋅合金鎖芯，亮鉻，鍍鋅鋼鎖舌
PA black plastic,housing,pull-tab,nut,zinc alloy shaft,chrome plated,M.S zinc plated cam.

| 軸類型 Shaft style | 間距 Grip Range | | | | 鎖芯類型 Cylinder Style | |
|---|---|---|---|---|---|---|
| | 不帶取手 Without Pull-Tap | | 帶取手 With Pull-Tap | | | |
| | 正向 Pawl Forward | 反向 Pawl Reversed | 正向 Pawl Forward | 反向 Pawl Reversed | | |
| 長軸 Long Shaft | MIN-MAX | MIN-MAX | MIN-MAX | MIN-MAX | 內六角一字槽鎖芯 Hex female 5mm with slot insert | 圓形頭帶槽鎖芯 Tubular |
| | 19-28 | 29-38 | 17-26 | 37-36 | A-1426-265-L21 | A-1426-140-L21 |
| | 14-23 | 34-43 | 17-21 | 32-34 | A-1426-265-L22 | A-1426-140-L22 |
| | 9-18 | 39-48 | 7-16 | 37-46 | A-1426-265-L23 | A-1426-140-L23 |
| | | 24-33 | | 22-31 | A-1426-265-L24 | A-1426-140-L24 |


可選配件 Accessories ref. to page #


1.鎖舌見頁面 I-007~I-008
Cam ref. to page I-007~I-008

RL








開孔尺寸
Panel cutout



選配件，需單獨訂購
Optional components, Need to be ordered separately
產品編號(part #):TX-1426
取手(Pull-Tab)

黑色塑料PA鎖殼，取手，螺母，鋅合金鎖芯，亮鉻，鍍鋅鋼鎖舌
PA black plastic,housing,pull-tab,nut,zinc alloy shaft,chrome plated,M.S zinc plated cam.

| 軸類型 Shaft style | 間距 Grip Range | | | | 鎖芯類型 Cylinder Style |
|---|---|---|---|---|---|
| | 不帶取手 Without Pull-Tap | | 帶取手 With Pull-Tap | | |
| | 正向 Pawl Forward | 反向 Pawl Reversed | 正向 Pawl Forward | 反向 Pawl Reversed | 內六角一字槽鎖芯 Hex female 5mm with slot insert |
| 短軸 Short Shaft | 13.6 | 23.6 | 11.6 | 21.6 | A-1426-265-S21 |
| | 8.6 | 28.6 | 6.6 | 26.6 | A-1426-265-S22 |
| | 3.6 | 33.6 | 1.6 | 31.6 | A-1426-265-S23 |
| | 18.6 | | 16.6 | | A-1426-265-S24 |


可選配件 Accessories ref. to page #


1. 鎖舌 見頁面 I-007~I-008
   CAM ref. to page I-007~I-008


RL IP65 STAINLESS SERIES












開孔尺寸
Panel Cutout



三角8mm
triangle 8mm



四方7mm
square 7mm


可選配件 Accessories ref. to page #


1. 鎖舌 見頁面 I-002
   CAM ref. to page I-002

316 不鏽鋼,鎖殼,鎖芯,銷軸
Compression latch SUS316

| | 全不鏽鋼 SUS316 | |
|---|---|---|
| 鎖芯類型 Cylinder Style | 左開 Left open | 右開 Right open |
| 四方 7 Square 7mm | AS-816-4-047-316L | AS-816-4-047-316R |
| 三角 8 Triangular 8mm | AS-816-4-038-316L | AS-816-4-038-316R |

RL





















Open condition

右開
Right open





開孔尺寸
Panel cutout




三角鎖芯8mm
triangular 8mm




四方鎖芯7mm
square 7mm





雙翅5mm
Double Bit 5mm

316 不鏽鋼,鎖殼,鎖芯,銷軸
Compression latch SUS316

| 鎖片款式 Camstyle | 間距 Grip Range | | 鎖頭類型 Head Style | | | | | |
|---|---|---|---|---|---|---|---|---|
| | | | 左開 Left | | | 右開 Right | | |
| | 最小 Min | 最大Max | 雙翅型 5mm Double bit 5mm | 三角鎖芯 8mm triangular 8mm | 四方鎖芯 7mm Square 7mm | 雙翅型 5mm Double bit 5mm | 三角鎖芯 8mm triangular 8mm | 四方鎖芯 7mm Square 7mm |
| 正向鎖片 reversed cam | 11.4 | 27.2 | AS-1427-015L-316L-15 | AS-1427-038L-316L-15 | AS-1427-047L-316L-15 | AS-1427-015L-316R-15 | AS-1427-038L-316R-15 | AS-1427-047L-316R-15 |
| | 25.4 | 41.1 | AS-1427-015L-316L-25 | AS-1427-038L-316L-25 | AS-1427-047L-316L-25 | AS-1427-015L-316R-25 | AS-1427-038L-316R-25 | AS-1427-047L-316R-25 |
| 直立鎖片 straight cam | 38.9 | 54.6 | AS-1427-015L-316L-35 | AS-1427-038L-316L-35 | AS-1427-047L-316L-35 | AS-1427-015L-316R-35 | AS-1427-038L-316R-35 | AS-1427-047L-316R-35 |
| 反向鎖片 offset cam | 52.6 | 68.3 | AS-1427-015L-316L-25 | AS-1427-038L-316L-25 | AS-1427-047L-316L-25 | AS-1427-015L-316R-25 | AS-1427-038L-316R-25 | AS-1427-047L-316R-25 |
| | 66.3 | 76.2 | AS-1427-015L-316L-15 | AS-1427-038L-316L-15 | AS-1427-047L-316L-15 | AS-1427-015L-316R-15 | AS-1427-038L-316R-15 | AS-1427-047L-316R-15 |

RL







鋅合金 Zinc die, bright chrome

| | |
|---|---|
| 亮鉻 Bright Chrome | A-826 |







鋅合金 Zinc die, bright chrome

| | |
|---|---|
| 亮鉻 Bright Chrome | A-826-2 |









尼龍玻纖黑色Nylon glass fiber,black


| | 帶鎖芯 Key locking | 不帶鎖芯 Non-locking |
|---|---|---|
| 不帶取手 Latch only | A-7530-NP | A-7530-00-NP |
| 取手與鎖舌平行 Pull tab in-line with latching Cam | A-7530 | A-7530-00 |
| 取手與鎖舌垂直 Pull tab perpendicular to latching Cam | A-7530-V | A-7530-00-V |

RL IP65





壓縮量：6.5mm
Pull-up 6.5mm

選配件，需單獨訂購
Optional components, Need to be ordered separately.






開孔尺寸
Panel cutout





鑰匙操縱型鎖芯專用鑰匙
For key operated

產品編號（part#）：9200-1422-80




鑰匙操縱型 Key operated | 雙翅型3 Double bit 3 | 三角7 Triangle 7 | 三角8 Triangle 8 | 四方7 Square 7




四方8 Square 8 | 內六角8 Hex female 8 | 外六角10 Hex.male 10 | 一字槽型 Slotted recess



A-817-05-L



A-817-037-L



A-817-048-L



A-817-068-L

鋅合金基座、鎖芯；黑色塗裝或電鍍亮鉻,鍍鋅鋼栓和轉軸。
Zinc die housing cylinder; Black powder coated or bright chrome ,M.S. zinc plated cam and shaft.

| 軸類型 Shaft style | 鎖舌款式 BH Cam Style BH | 間距 Grip Range | | 鎖芯類型 Cylinder Style | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 最小MIN | 最大MAX | 鑰匙操縱型 Key Operated | 雙翅3 Double Bit 3mm | 三角7 Triangular 7mm | 三角8 Triangular 8mm | 四方7 Square 7mm | 四方8 Square 8mm | 一字槽型 Slotted recess | 內六角8 Hexagon female 8mm | 鑰匙操縱型 Key Operated |
| 長軸 Long Shaft | 正向 Reversed Cam | 11.4 | 27.2 | A-817-20-L1510 | A-817-013-L1510 | A-817-037-L1510 | A-817-038-L1510 | A-817-047-L1510 | A-817-048-L1510 | A-817-05-L1510 | A-817-068-L1510 | A-817-060-L1510 |
| | | 25.4 | 41.1 | A-817-20-L2510 | A-817-013-L2510 | A-817-037-L2510 | A-817-038-L2510 | A-817-047-L2510 | A-817-048-L2510 | A-817-05-L2510 | A-817-068-L2510 | A-817-060-L2510 |
| | 直立 Straight Cam | 38.9 | 54.6 | A-817-20-L3510 | A-817-013-L3510 | A-817-037-L3510 | A-817-038-L3510 | A-817-047-L3510 | A-817-048-L3510 | A-817-05-L3510 | A-817-068-L3510 | A-817-060-L3510 |
| | 反向 Offset Cam | 52.6 | 68.3 | A-817-20-L2510 | A-817-013-L2510 | A-817-037-L2510 | A-817-038-L2510 | A-817-047-L2510 | A-817-048-L2510 | A-817-05-L2510 | A-817-068-L2510 | A-817-060-L2510 |
| | | 66.3 | 76.2 | A-817-20-L1510 | A-817-013-L1510 | A-817-037-L1510 | A-817-038-L1510 | A-817-047-L1510 | A-817-048-L1510 | A-817-05-L1510 | A-817-068-L1510 | A-817-060-L1510 |

RL IP65



A-817-05-S10



A-817-037-S10




A-817-068-S10







A-817


選配件，需單獨訂購
Optional components, Need to be ordered separately.








開孔尺寸
Panel cutout





鑰匙操縱型鎖芯專用鑰匙
For key operated
產品編號（part#）：9200-1422-80




鋅合金基座、鎖芯；黑色塗裝或電鍍亮鉻,鍍鋅鋼栓和轉軸。
Zinc die housing cylinder; Black powder coated or bright chrome ,M.S. zinc plated cam and shaft.

| 軸類型 Shaft style | 鎖芯類型Cylinder stytle | |
|---|---|---|
| 短軸 Short shaft | 雙翅3 Double bit 3mm | A-817 |
| | 三角7 Triangular 7mm | A-817-037-S10 |
| | 三角8 Triangular 8mm | A-817-038-S10 |
| | 四方7 Square 7mm | A-817-047-S10 |
| | 四方8 Square 8mm | A-817-048-S10 |
| | 一字槽型 Slotted recess | A-817-05-S10 |
| | 內六角8 Hex female 8mm | A-817-068-S10 |
| | 外六角10 Hex.male 10mm | A-817-060-S10 |
| | 鑰匙操縱型 Key operated | A-817-20-S10 |


RL








| 軸類型 Shaft style | 鎖頭類型 Head Style | |
|---|---|---|
| | 帶鎖芯 Key Locking | 不帶鎖芯 Non-locking |
| 短軸 Short shaft | A-1437-110-S20 | 麻面黑 A-1437-100-S20 |









鋅合金基座、鎖芯; 黑色塗裝或電鍍亮鉻,鍍鋅鋼栓和轉軸。
Zinc die housing cylinder; Black powder coated or bright chrome ,M.S. zinc plated cam and shaft.

| 軸類型 Shaft style | 鎖舌款式 BH Cam Style BH | 間距 Grip Range | | 鎖頭類型 Head Style | |
|---|---|---|---|---|---|
| | | 最小 Min | 最大 Max | 帶鎖芯 Key Locking | 不帶鎖芯 Non-locking |
| 長軸 Long Shaft | 正向 Reversed Cam | 11.4 | 27.2 | A-1437-110-L1520 | A-1437-100-L1520 |
| | | 25.4 | 41.1 | A-1437-110-L2520 | A-1437-100-L2520 |
| | 直立 Straight Cam | 38.9 | 54.6 | A-1437-110-L3520 | A-1437-100-L3520 |
| | 反向 Offset Cam | 52.6 | 68.3 | A-1437-110-L2520 | A-1437-100-L2520 |
| | | 66.3 | 76.2 | A-1437-110-L1520 | A-1437-100-L1520 |

RL IP65







SUS316不鏽鋼壓縮鎖,帶彈簧密封圈
Compression latch SUS316,with spring and seal

| 鎖芯款式 Cylinder Style | 全不鏽鋼 SUS316 |
|---|---|
| 四方8帶點槽 Square 8mm with marking | AS-1438-048-316 |
| 直槽2x4 2x4slot | AS-1438-024-316 |
| 雙翅3 Double Bit 3mm | AS-1438-013-316 |
| 雙翅5 Double Bit 5mm | AS-0438-015-316 |







帶箭頭和紅、綠雙色標識的316不鏽鋼壓縮鎖,帶彈簧和平墊圈
Compression latch with arrowhead and red-green marking SUS316,with spring and flat seal

| 鎖芯類型 Cylinder Style | 全不鏽鋼SUS316 | |
|---|---|---|
| | 左裝 Left | 右裝 Right |
| 四方8帶點槽 Square 8mm with marking | AS-1438-048S-316L | AS-1438-048S-316R |

可選配件 Accessories ref. to page #

1. 鎖舌 見頁面 I-001
   CAM ref. to page I-001


RL






**鋅合金基座、鎖芯；黑色塗裝或電鍍亮鉻,鍍鋅鋼栓和轉軸。**
Zinc die housing cylinder; Black powder coated or bright chrome ,M.S. zinc plated cam and shaft.

| 軸類型 Shaft style | 鎖頭類型 Head Style | |
|---|---|---|
| | 帶鎖芯 Key Locking | 不帶鎖芯 Non-locking |
| 短軸 Short shaft | A-1439-110-S20 | A-1439-100-S20 |







鋅合金基座、鎖芯；黑色塗裝或電鍍亮鉻,鍍鋅鋼栓和轉軸。
Zinc die housing cylinder; Black powder coated or bright chrome ,M.S. zinc plated cam and shaft.

| 軸類型 Shaft style | 鎖舌款式 BH Cam Style BH | 間距 Grip Range | | 鎖頭類型 Head Style | |
|---|---|---|---|---|---|
| | | 最小 Min | 最大 Max | 帶鎖芯 Key Locking | 不帶鎖芯 Non-locking |
| 長軸 Long Shaft | 正向 Reversed Cam | 11.4 | 27.2 | A-1439-110-L1520 | A-1439-100-L1520 |
| | | 25.4 | 41.1 | A-1439-110-L2520 | A-1439-100-L2520 |
| | 直立 Straight Cam | 38.9 | 54.6 | A-1439-110-L3520 | A-1439-100-L3520 |
| | 反向 Offset Cam | 52.6 | 68.3 | A-1439-110-L2520 | A-1439-100-L2520 |
| | | 66.3 | 76.2 | A-1439-110-L1520 | A-1439-100-L1520 |

NEW







開孔尺寸
Panel Cutout

黑色塑料PA，外殼，手柄
Black PA plastic,housing,handel

| | |
|---|---|
| 帶鎖芯 Key Locking | A-1701-10-90 |

NEW







開孔尺寸
Panel Cutout


鎖殼，手柄，壓版，鐵噴漆或者不鏽鋼本色
Housing Handle,support,steel paint spraying or stainless steel natural


| 間距 Grip Range | 止口高度 Grip Range 最小 Min | 最大 Max | 帶鎖芯 Key Locking | 不帶鎖芯 Non - Locking |
|---|---|---|---|---|
| 正向鎖片 Reversed cam | 28 | 43 | A-1704-110-310 | A-1704-100-310 |
| | 43 | 58 | A-1704-110-210 | A-1704-100-210 |
| 直立鎖片 Straight cam | 58 | 73 | A-1704-110-110 | A-1704-100-110 |
| 反向鎖片 Offset cam | 73 | 88 | A-1704-110-210 | A-1704-100-210 |
| | 88 | 104 | A-1704-110-310 | A-1704-100-310 |


NEW


RL








開孔尺寸
Panel Cutout


鋅合金基底、鎖芯;黑色塗裝或電鍍亮鉻,鍍鋅鋼栓和轉軸
Zine die housing cylinder.Black powder coated or bright chrome.M.S. Zinc plated cam and shaft.

| 鎖舌款式 Cam style | 間距(H) Grip Range 最小 Min | 最大 Max | 帶鎖芯 Key Locking 品號 PART.NO. | 不帶鎖芯 Non - Locking 品號 PART.NO. |
|---|---|---|---|---|
| 正向鎖舌 Reversed cam | 7.9 | 23.6 | A-1409-110-1520 | A-1409-100-1520 |
| | 21.8 | 37.3 | A-1409-110-2520 | A-1409-100-2520 |
| 直立鎖舌 Straight cam | 35.3 | 51 | A-1409-110-3520 | A-1409-100-3520 |
| 反向鎖舌 Offset cam | 62.7 | 76.2 | A-1409-110-1520 | A-1409-100-1520 |
| | 49 | 64.8 | A-1409-110-2520 | A-1409-100-2520 |






開孔尺寸
Cut out





安裝示意



銅&鋅合金鎖蕊、不鏽鋼安裝座
Zinc ally & copper Stainless steel 304 body

| 電鍍亮鉻 Bright chrome | A-836 |
|---|---|











面板，手柄，掛鎖，鐵，無光黑，滑動塊，鎖舌，鐵鍍鋅
Paddle housing,handle,padlock hook M.S Black smooth powder coated slide plate,cam, M.S zinc plated

| 帶掛 Padlockable | A-1702-00-10-P |
|---|---|










不鏽鋼 304，拉絲拋光
Stainless steel 304,Polishing

| | AS-729 |
|---|---|







鋼鐵、黑色塗裝
Steel、Black powder coated

| 黑色塗裝 Black powder coated | A-325 |
|---|---|










鋼鐵、黑色塗裝
Steel、Black powder coated

| 黑色塗裝 Black powder coated | |
|---|---|
| 帶鎖芯 Key locking | A-318 |
| 不帶鎖芯 Non-locking | A-318-2 |








鋅合金鎖體,黑色塗裝麻面黑,另有不鏽鋼316
Zinc die, Black textured powder coated or Stainless steel 316S

| | 麻面黑<br>Black Textured Powder Coated | 全不鏽鋼<br>SUS316 |
|---|---|---|
| YK333鑰匙型 YK333 key locking | A-1601-110-20 | AS-1601-110-316 |
| 不帶鎖芯型 Non-locking | A-1601-100-20 | AS-1601-100-316 |
| 2x4直槽型 2x4slot | A-1601-124-20 | |


可選配件 Accessories ref. to page #

1. 鎖舌 見頁面 I-001
   CAM ref. to page I-001

備注: Remark
1. 專用鑰匙可選 Key different on request.
2. CH751 鑰匙可選,CH751 key code on request
3. 可配掛鎖 Padlockable on request

NEW







開孔尺寸
Panel Cutout

黑色塑料PA，外殼，手柄
Black PA plastic,housing,handel

| | |
|---|---|
| 帶鎖芯 Key Locking | A-1701-10-90 |

NEW






開孔尺寸
Panel Cutout

鎖殼，手柄，壓版，鐵噴漆或者不鏽鋼本色
Housing Handle,support,steel paint spraying or stainless steel natural


| 間距 Grip Range | 止口高度 Grip Range 最小 Min | 最大 Max | 帶鎖芯 Key Locking | 不帶鎖芯 Non - Locking |
|---|---|---|---|---|
| 正向鎖片 Reversed cam | 28 | 43 | A-1704-110-310 | A-1704-100-310 |
| | 43 | 58 | A-1704-110-210 | A-1704-100-210 |
| 直立鎖片 Straight cam | 58 | 73 | A-1704-110-110 | A-1704-100-110 |
| 反向鎖片 Offset cam | 73 | 88 | A-1704-110-210 | A-1704-100-210 |
| | 88 | 104 | A-1704-110-310 | A-1704-100-310 |

# MEMO






開孔尺寸
Cut out





安裝示意



銅&鋅合金鎖蕊、不鏽鋼安裝座
Zinc ally & copper Stainless steel 304 body

| 電鍍亮鉻 Bright chrome | A-836 |
|---|---|











面板，手柄，掛鎖，鐵，無光黑，滑動塊，鎖舌，鐵鍍鋅
Paddle housing,handle,padlock hook M.S Black smooth powder coated slide plate,cam, M.S zinc plated

| 帶掛 Padlockable | A-1702-00-10-P |
|---|---|










不鏽鋼 304，拉絲拋光
Stainless steel 304,Polishing

| | AS-729 |
|---|---|







鋼鐵、黑色塗裝
Steel、Black powder coated

| 黑色塗裝 Black powder coated | A-325 |
|---|---|










鋼鐵、黑色塗裝
Steel、Black powder coated

| 黑色塗裝 Black powder coated | |
|---|---|
| 帶鎖芯 Key locking | A-318 |
| 不帶鎖芯 Non-locking | A-318-2 |








鋅合金鎖體,黑色塗裝麻面黑,另有不鏽鋼316
Zinc die, Black textured powder coated or Stainless steel 316S

| | 麻面黑<br>Black Textured Powder Coated | 全不鏽鋼<br>SUS316 |
|---|---|---|
| YK333鑰匙型 YK333 key locking | A-1601-110-20 | AS-1601-110-316 |
| 不帶鎖芯型 Non-locking | A-1601-100-20 | AS-1601-100-316 |
| 2x4直槽型 2x4slot | A-1601-124-20 | |

可選配件 Accessories ref. to page #

1. 鎖舌 見頁面 I-001
   CAM ref. to page I-001


備注: Remark
1. 專用鑰匙可選 Key different on request.
2. CH751 鑰匙可選,CH751 key code on request
3. 可配掛鎖 Padlockable on request



















開孔尺寸
Cut out





鑰匙拔插類型
Key Way



單抽型



雙抽型




舌片cam

可選配件 Accessories ref. to page #

備註: Remark
可變換5000種以上鑰匙(客製)
5000 kinds of key for change

鋅合金基座、鎖芯；電鍍亮鉻，鍍鋅鋼栓。
Zinc die housing and cylinder： bright chrome,M.S. zinc plated cam.

| Order No. | L1 | L2 |
|---|---|---|
| A-824-1 | 34 | 17 |
| A-824-2 | 40 | 23 |
| A-824-3 | 45 | 28 |

# 力卡實業有限公司
**LEEKA INDUSTRIAL CO.,LTD.**

407台中市西屯區工業區三十六路21-1號
No.21-1, 36TH RD., TAICHUNG INDUSTRIAL PARK,
TAICHUNG 407, TAIWAN, R.O.C.

**TEL :** +886-4-2359 8798
**FAX :** +886-4-2359 8762
**VAT number :** 24579163
**E-mail :** info@leeka.com.tw


www.leeka.com.tw

WELCOME TO VISIT OUR WEBSITE