

Pliers & Wrenches




Long Nose Pliers

LNC6G



LNC7G




Long reach cutter style pliers are suited for a variety of jobs. Jaws comprise 1/3 of total length. Smooth functioning box joint insures accurate alignment of cutter edges. Milled jaws firmly grip out to very tip of nose. Tempered steel with polished finish faces. Handles are palm-fitting design with red vinyl non-slip cushion grips.

CATALOG NUMBER	LENGTH IN. (MM)	NET WT. oz. (g)
LNC6G	6 (152)	4 (113)
LNC7G	7 (178)	5 (142)

Diagonal Cutters

DC6G



DC7G



Powerful leverage short nose is designed to cut flush from side without obstructing handle grip. Absence of flat gripping surface on jaws allows tool to cut out to very tip. (Diagonal cutters are the only tools capable of reaching into an electrical box to cut wires). Smooth functioning box joint insures accurate alignment of cutting edges. Forged from high quality alloy steel. Hardened and tempered for long life. Polished faces. Red vinyl cushion grips.

CATALOG NUMBER	LENGTH IN. (MM)	NET WT. oz. (g)
DC6G	6.25 (159)	4 (113)
DC7G	7.25 (184)	7 (199)

Lineman's Side Cutter

LSC8G



Precision plier has a rugged design with powerful leverage for pulling and cutting heavy wires. Carefully matched cutting edges and milled gripping surface are specially hardened and tempered for long life. Forged from high quality alloy steel. Polished faces. Comfort designed handles with red vinyl cushion grips.

CATALOG NUMBER	LENGTH IN. (MM)	NET WT. oz. (g)
LSC8G	8 (203)	14 (397)

New England Style

LSC9G



High leverage plier is designed for cutting number 8 and other large wires. Forged from high quality alloy steel. Precision matched cutting edges are induction hardened. Jaw rivet is offset for increased leverage. Built-in insulation crusher. Red vinyl cushion grips.

CATALOG NUMBER	LENGTH IN. (MM)	NET WT. oz. (g)
LSC9G	9 (229)	19 (539)

Electrical Plier Up Front Crimping Action



PC9

Insulated and uninsulated terminal and splice crimper with wire cutter up front. Crimps insulated terminal sizes 12-10 (yellow) and 22-14 (red and blue). Tool also crimps uninsulated terminals 22-10 and 7-8 mm auto ignition terminals. Cuts bolts with perfect rethread and features six wire stripping stations for 22-10 ga. Constructed of induction hardened alloy steel. Pivot joint is made of hardened steel lifetime bushing. Black oxide oil finish with paint markings to highlight crimping functions. Red vinyl grips are comfortable, three pocket air cushion type.

CATALOG NUMBER	CAPACITIES		CRIMPING	STRIPPING	LENGTH	NET WT.
	BOLT	CUTTING				
PC9	4-40	8-32	22-10 ga.	22-10 ga.	8-3/4"	7 oz.
	6-32	10-32				
		10-24				

Electrical Plier Cutter / Stripper / Crimper



WSC8

Up front scissors action strips copper wire clean and easily cuts sizes 10 thru 20. Bolt cutters leave a perfect rethread. Plier nose features serrated jaw and slim profile for pulling and putting loops on wire. Crimps all insulated and non-insulated solderless terminals including 7-8 mm auto. Lifetime pivot point assures greater joint strength and adds easy, precise adjustment capability. Black oxide, satin finish steel. Extra large red vinyl cushion grips.

CATALOG NUMBER	CAPACITIES		CRIMPING	STRIPPING	LENGTH	NET WT.
	BOLT	CUTTING				
WSC8	4-40	8-32	22-10 ga.	22-10 ga.	8-1/4"	8 oz.
	5-40	10-32				
	6-32	10-24				

Electrical / Stripper Combination AWG-Metric



Automatic spring opening increases speed of stripping operation. Convenient lock protects precision cutting surfaces when not in use.

CATALOG NUMBER	CAPACITIES AWG	METRIC	LENGTH IN. (MM)	NET WT. oz. (g)
WSC1S	20-10 ga.	.5-5.3 mm	6 (152)	4 (113)

Multi-Track Pliers



MT12



MT10



MT7

Multiple slip joint pliers are ideal for use on conduit, pipe and cable connections. Tongue and groove joints hold jaws securely in selected position and take strain off bolt. Teeth are designed to give maximum grip on any round, square or hex shaped object. Long cushion grip handles give powerful leverage with gentle angled spread for easy one hand operation. Thin design permits access to confined spaces where conventional pipe wrenches won't go. Tempered steel halves offer long dependable service.

CATALOG NUMBER	SIZE IN. (MM)	SQUARE OPENING IN. (MM)	TRACKS	NET WT. oz.(g)
MT7	7-1/2 (191)	1-1/4 (32)	5	6 (170)
MT10	10 (254)	1-7/8 (48)	5	12 (340)
MT12	12.5 (318)	2-1/4 (57)	7	27 (766)



Pliers & Wrenches



Extra Capacity Adjustable Wrenches



AW12XG



AW10XG



AW8XG



AW6XG



AW4G
Standard Opening

Greater jaw capacity than standard adjustables, these wrenches often eliminate the need to use the next larger size. Ideal for jobs where convenience of a smaller, lighter weight wrench is desired.

Slim, tapered jaws are induction hardened to prevent disfiguring of opening. Malco wrenches are drop-forged from high quality alloy steel, heat treated and nickel chrome plated. Finished with bright head faces and satin finished handles.

GRIPPED WRENCHES

Catalog Number	Length in. (mm)	Jaw Opening in. (mm)	Net Wt. oz. (g)
AW4G	4 (102)	1/2 (12.7)	2 (57)
AW6XG	6 (152)	15/16 (23.8)	4 (113)
AW8XG	8 (203)	1-1/8 (28.6)	8 (227)
AW10XG	10 (254)	1-5/16 (33.3)	14 (397)
AW12XG	12 (305)	1-1/2 (38.1)	24 (680)




Refrigeration Ratchet Wrenches




RRW3



RRW4



RRW5



Offset design

For installing or servicing heating, air conditioning or refrigeration units.

CATALOG NUMBER	SQUARE DRIVE	HEX IN.
RRW4	3/16" & 1/4"	1/2" & 9/16"
RRW3	3/16", 1/4", 5/16" & 3/8"	
RRW5	3/16", 1/4", 5/16" & 3/8"	

5/16" & 3/16" Hex Key Wrench Inserts



RRW3/16



RRW5/16

1/4" square drive shanks fit Malco RRW3 and RRW4 Ratchet Wrenches. Facilitates easy ratcheting action for servicing hard to access valves common in air conditioning and refrigeration condensing units. 1-5/8 inches long.

CATALOG NUMBER	SQUARE SHANK DIA.	HEX KEY DIA.	O/A LGTH.
RRW5/16	1/4"	5/16"	1-5/8"
*RRW3/16	1/4"	3/16"	1-5/8"

*RRW3/16 Hex Stock Body Measures 5/16"

